


PRICE LIST
October 2023



RADIATORS FOR ARCHITECTURE



TOWEL WARMERS








RADIATORS

[®] **GLOBAL** 
R A D I A T O R I

ALLUMINIUM RADIATORS

RADIATORS

radiator model	CODE* white colour	dimensions mm					Ø connec- tions	head output EN 442 Watt		PRICE PER SECTION	
		overall height	width	depth	pipe centres	ΔT 50°C		ΔT 30°C	White	special	
									RAL 9010	colours**	
							Euro	Euro			
	GL 800/80	GL080010..	890	80	95	800	1"	183	93	38,50	50,00
	GL 700/80	GL070010..	790	80	95	700	1"	166	84	36,00	46,80
	GL 600/80	GL060010..	690	80	95	600	1"	145	74	31,30	40,70
	GL 500/80	GL050010..	590	80	95	500	1"	126	64	30,00	39,00
	GL 350/80	GL035010..	440	80	95	350	1"	97	49	29,50	38,30
	GL 350/80/D	GL350D10..	440	80	180	350	1"	157	80	62,00	80,60
	GL 200/80/D	GL200D10..	290	80	180	200	1"	103	53	60,00	78,00
	VIP 800	VP080010..	890	80	95	800	1"	180	91	38,50	50,00
	VIP 700	VP070010..	790	80	95	700	1"	161	82	36,00	46,80
	VIP 600	VP060010..	690	80	95	600	1"	142	72	31,30	40,70
	VIP 500	VP050010..	590	80	95	500	1"	123	63	30,00	39,00
	VIP 350	VP035010..	440	80	95	350	1"	94	48	29,50	38,30
	MIX 800	MX080010..	890	80	95	800	1"	180	91	38,50	50,00
	MIX 700	MX070010..	790	80	95	700	1"	161	82	36,00	46,80
	MIX 600	MX060010..	690	80	95	600	1"	142	72	31,30	40,70
	MIX 500	MX050010..	590	80	95	500	1"	123	63	30,00	39,00
	MIX 350	MX035010..	440	80	95	350	1"	94	48	29,50	38,30
	MIX 300	MX030010..	390	80	95	300	1"	82	43	29,20	38,00
	VOX 800	VX080010..	890	80	95	800	1"	181	92	38,50	50,00
	VOX 700	VX070010..	790	80	95	700	1"	164	83	36,00	46,80
	VOX 600	VX060010..	690	80	95	600	1"	146	75	31,30	40,70
	VOX 500	VX050010..	590	80	95	500	1"	127	65	30,00	39,00
	VOX 350	VX035010..	440	80	95	350	1"	95	49	29,50	38,30
	VOX 200	VX020010..	290	80	95	200	1"	62	32	28,50	37,00
	VOX EXTRA 800	VXE080010..	877	80	95	800	1"	173	88	37,00	48,10
	VOX EXTRA 700	VXE070010..	777	80	95	700	1"	156	80	34,30	44,60
	VOX EXTRA 600	VXE060010..	677	80	95	600	1"	137	71	30,00	39,00
	VOX EXTRA 500	VXE050010..	577	80	95	500	1"	119	61	28,70	37,30
	VOX EXTRA 350	VXE035010..	427	80	95	350	1"	89	46	28,20	36,70
	KLASS 800	KL080010..	882	80	80	800	1"	162	82	35,80	46,50
	KLASS 700	KL070010..	782	80	80	700	1"	148	75	33,80	43,90
	KLASS 600	KL060010..	682	80	80	600	1"	132	67	29,50	38,30
	KLASS 500	KL050010..	582	80	80	500	1"	116	60	28,20	36,60
	KLASS 350	KL035010..	432	80	80	350	1"	85	44	27,70	36,00

radiator model	CODE* white colour	overall height	dimensions mm				∅ connections	heat output EN 442 Watt		PRICE PER SECTION	
			width	depth	pipe centres	∆T 50°C		∆T 30°C	white	special colours**	
									RAL 9010 Euro	Euro	
	ISEO 800	IS080010..	882	80	80	800	1"	164	82	35,80	46,50
	ISEO 700	IS070010..	782	80	80	700	1"	150	75	33,80	43,90
	ISEO 600	IS060010..	682	80	80	600	1"	131	66	29,50	38,30
	ISEO 500	IS050010..	582	80	80	500	1"	115	58	28,20	36,60
	ISEO 350	IS035010..	432	80	80	350	1"	87	44	27,70	36,00
	EKOS 800/95	EK8009510..	868	50	95	800	1"	87	45	40,00	52,00
	EKOS 700/95	EK7009510..	768	50	95	700	1"	78	40	37,40	48,60
	EKOS 600/95	EK6009510..	668	50	95	600	1"	69	36	33,00	42,90
	EKOS 500/95	EK5009510..	568	50	95	500	1"	61	32	31,80	41,30
	EKOS 800/130	EK80013010..	883	50	130	800	1"	108	56	45,30	58,90
	EKOS 600/130	EK60013010..	683	50	130	600	1"	87	45	38,00	49,40
	EKOS PLUS 2000	EP200010..	2070	50	95	2000	1"	196	99	126,80	164,80
	EKOS PLUS 1800	EP180010..	1870	50	95	1800	1"	178	90	113,70	147,80
	EKOS PLUS 1600	EP160010..	1670	50	95	1600	1"	160	80	104,80	136,20
	EKOS PLUS 1400	EP140010..	1470	50	95	1400	1"	143	72	95,30	123,90
	EKOS PLUS 1200	EP120010..	1270	50	95	1200	1"	126	64	84,40	109,70
	EKOS PLUS 1000	EP100010..	1070	50	95	1000	1"	109	57	71,20	92,50
	EKOS PLUS 900	EP090010..	970	50	95	900	1"	101	53	65,00	84,50
	OSCAR 2000	OS200010..	2046	80	95	2000	1"	321	161	132,00	171,60
	OSCAR 1800	OS180010..	1846	80	95	1800	1"	297	148	119,00	154,70
	OSCAR 1600	OS160010..	1646	80	95	1600	1"	271	136	110,00	143,00
	OSCAR 1400	OS140010..	1446	80	95	1400	1"	245	123	100,00	130,00
	OSCAR 1200	OS120010..	1246	80	95	1200	1"	218	109	90,00	117,00
	OSCAR 1000	OS100010..	1046	80	95	1000	1"	190	95	76,00	98,80
	OSCAR 900	OS090010..	946	80	95	900	1"	175	88	70,00	91,00
	OSCAR TONDO 2000	OST200010..	2046	80	95	2000	1"	321	161	132,00	171,60
	OSCAR TONDO 1800	OST180010..	1846	80	95	1800	1"	297	148	119,00	154,70
	OSCAR TONDO 1600	OST160010..	1646	80	95	1600	1"	271	136	110,00	143,00
	OSCAR TONDO 1400	OST140010..	1446	80	95	1400	1"	245	123	100,00	130,00
	OSCAR TONDO 1200	OST120010..	1246	80	95	1200	1"	218	109	90,00	117,00
	OSCAR TONDO 1000	OST100010..	1046	80	95	1000	1"	190	95	76,00	98,80
	OSCAR TONDO 900	OST090010..	946	80	95	900	1"	175	88	70,00	91,00

RADIATOR ASSEMBLY



GL-Vip-Vox-VoxExtra-Mix-Klass-Iseo: carboard boxes from 2 to 12 sections for models 800-700
carboard boxes from 2 to 14 sections for models 600-500-350-300-200-GL350/D-GL200/D

Ekos: carboard boxes from 3 to 14 sections for models 800/95-700/95
carboard boxes from 3 to 16 sections for models 600/95-500/95
carboard boxes from 3 to 14 sections for model EKOS 800/130
carboard boxes from 3 to 16 sections for model EKOS 600/130

Ekos Plus: carboard boxes from 3 to 10 sections for all models






Oscar - Oscar Tondo: carboard boxes from 2 to 8 sections for all models

TOWEL WARMERS

towel warmers	CODE	dimensions mm			pipe centres	Ø connections	heat output EN 442 Watt		PRICE PER RADIATOR		
		overall height	width	depth			ΔT 50°C	ΔT 30°C	white RAL 9010 Euro	special colours** Euro	
	JUNIOR 450/7	JU450071001	730	492	42	450	1"	377	201	458,00	595,00
	JUNIOR 450/10	JU450101001	970	492	42	450	1"	488	260	525,00	682,00
	JUNIOR 450/12	JU450121001	1210	492	42	450	1"	597	319	625,00	812,00
	JUNIOR 450/15	JU450151001	1540	492	42	450	1"	743	396	770,00	1000,00
	VETTA 800/400	VE080040010	800	425	27	400	1/2"	333	174	270,00	351,00
	VETTA 800/450	VE080045010	800	475	27	450	1/2"	338	180	270,00	351,00
	VETTA 800/500	VE080050010	800	525	27	500	1/2"	367	197	270,00	351,00
	VETTA 800/550	VE080055010	800	575	27	550	1/2"	397	213	270,00	351,00
	VETTA 800/600	VE080060010	800	625	27	600	1/2"	427	229	270,00	351,00
	VETTA 1200/400	VE120040010	1200	425	27	400	1/2"	482	256	335,00	435,00
	VETTA 1200/450	VE120045010	1200	475	27	450	1/2"	513	275	335,00	435,00
	VETTA 1200/500	VE120050010	1200	525	27	500	1/2"	558	299	335,00	435,00
	VETTA 1200/550	VE120055010	1200	575	27	550	1/2"	603	323	335,00	435,00
	VETTA 1200/600	VE120060010	1200	625	27	600	1/2"	649	347	335,00	435,00
	VETTA 1500/400	VE150040010	1500	425	27	400	1/2"	604	321	400,00	520,00
	VETTA 1500/450	VE150045010	1500	475	27	450	1/2"	647	343	400,00	520,00
	VETTA 1500/500	VE150050010	1500	525	27	500	1/2"	703	372	400,00	520,00
	VETTA 1500/550	VE150055010	1500	575	27	550	1/2"	759	401	400,00	520,00
	VETTA 1500/600	VE150060010	1500	625	27	600	1/2"	815	430	400,00	520,00
	VETTA 1800/400	VE180040010	1800	425	27	400	1/2"	736	393	470,00	611,00
VETTA 1800/450	VE180045010	1800	475	27	450	1/2"	783	411	470,00	611,00	
VETTA 1800/500	VE180050010	1800	525	27	500	1/2"	849	445	470,00	611,00	
VETTA 1800/550	VE180055010	1800	575	27	550	1/2"	915	478	470,00	611,00	
VETTA 1800/600	VE180060010	1800	625	27	600	1/2"	981	511	470,00	611,00	

towel warmers accessories included

JUNIOR	n. 2	art. A030 white or chrome (for coloured radiators) wall brackets
	n. 1	reducer kit art. A047 1/2" white or special colours
VETTA	n. 2/3	art. A031 white wall brackets or art. A032 chrome wall brackets
	n. 1	art. A041 1/2" white manual air vent valve or art. A038 chrome for coloured radiators)
	n. 1	art. A011 1/2" white or chrome plug (for coloured radiators)

radiator model	n. of sections	CODE* white colour	dimensions mm				Ø connections	heat output EN 442 Watt		white RAL 9010 Euro	special colours** Euro	
			overall height	width	depth	pipe centres		ΔT 50°C	ΔT 30°C			
	5	SE03501005	384	420	60	350	1/2"	356	183	400,00	500,00	
	6	06	384	500	60	350	1/2"	427	220	447,00	558,00	
	7	07	384	580	60	350	1/2"	498	256	500,00	625,00	
	8	08	384	660	60	350	1/2"	569	293	555,00	694,00	
	9	09	384	740	60	350	1/2"	640	329	610,00	762,00	
	10	10	384	820	60	350	1/2"	711	366	668,00	835,00	
	11	11	384	900	60	350	1/2"	782	403	725,00	906,00	
	12	12	384	980	60	350	1/2"	853	439	782,00	977,00	
	13	13	384	1060	60	350	1/2"	924	476	840,00	1050,00	
	14	14	384	1140	60	350	1/2"	995	512	895,00	1118,00	
		5	SE05001005	534	420	60	500	1/2"	458	235	438,00	548,00
		6	06	534	500	60	500	1/2"	550	281	498,00	622,00
		7	07	534	580	60	500	1/2"	641	328	562,00	703,00
		8	08	534	660	60	500	1/2"	733	375	623,00	778,00
9		09	534	740	60	500	1/2"	824	422	690,00	862,00	
10		10	534	820	60	500	1/2"	916	469	754,00	942,00	
11		11	534	900	60	500	1/2"	1008	516	818,00	1022,00	
12		12	534	980	60	500	1/2"	1099	563	879,00	1098,00	
13		13	534	1060	60	500	1/2"	1191	610	945,00	1181,00	
14		14	534	1140	60	500	1/2"	1282	657	1008,00	1260,00	
		5	SE05301005	564	420	60	530	1/2"	478	244	455,00	569,00
		6	06	564	500	60	530	1/2"	573	293	513,00	641,00
		7	07	564	580	60	530	1/2"	669	342	580,00	725,00
		8	08	564	660	60	530	1/2"	764	390	642,00	802,00
	9	09	564	740	60	530	1/2"	860	439	710,00	887,00	
	10	10	564	820	60	530	1/2"	955	488	777,00	971,00	
	11	11	564	900	60	530	1/2"	1051	537	845,00	1056,00	
	12	12	564	980	60	530	1/2"	1146	586	905,00	1131,00	
	13	13	564	1060	60	530	1/2"	1242	634	970,00	1212,00	
	14	14	564	1140	60	530	1/2"	1337	683	1038,00	1297,00	
		5	SE06001005	634	420	60	600	1/2"	523	266	470,00	587,00
		6	06	634	500	60	600	1/2"	627	319	532,00	665,00
		7	07	634	580	60	600	1/2"	732	372	600,00	750,00
		8	08	634	660	60	600	1/2"	836	426	669,00	836,00
9		09	634	740	60	600	1/2"	941	479	740,00	925,00	
10		10	634	820	60	600	1/2"	1045	532	808,00	1010,00	
11		11	634	900	60	600	1/2"	1150	585	880,00	1100,00	
12		12	634	980	60	600	1/2"	1254	638	945,00	1181,00	
13		13	634	1060	60	600	1/2"	1359	692	1020,00	1275,00	
14		14	634	1140	60	600	1/2"	1463	745	1088,00	1360,00	
		5	SE06231005	657	420	60	623	1/2"	537	274	480,00	600,00
		6	06	657	500	60	623	1/2"	644	328	548,00	685,00
		7	07	657	580	60	623	1/2"	752	383	620,00	775,00
		8	08	657	660	60	623	1/2"	859	438	689,00	861,00
	9	09	657	740	60	623	1/2"	967	492	760,00	950,00	
	10	10	657	820	60	623	1/2"	1074	547	832,00	1040,00	
	11	11	657	900	60	623	1/2"	1181	602	905,00	1131,00	
	12	12	657	980	60	623	1/2"	1289	656	973,00	1216,00	
	13	13	657	1060	60	623	1/2"	1396	711	1045,00	1306,00	
	14	14	657	1140	60	623	1/2"	1504	766	1120,00	1400,00	

radiator model

radiator model	n. of sections	CODE* white colour	overall height	dimensions mm		pipe centres	Ø connections	heat output EN 442 Watt		PRICE PER RADIATOR		
				width	depth			ΔT 50°C	ΔT 30°C	white	special colours**	
										RAL 9010 Euro	colours** Euro	
SEBINO 700	5	SE07001005	734	420	60	700	1/2"	585	297	495,00	619,00	
	6	06	734	500	60	700	1/2"	701	356	567,00	708,00	
	7	07	734	580	60	700	1/2"	818	415	642,00	802,00	
	8	08	734	660	60	700	1/2"	935	474	714,00	892,00	
	9	09	734	740	60	700	1/2"	1052	534	790,00	987,00	
	10	10	734	820	60	700	1/2"	1169	593	867,00	1083,00	
	11	11	734	900	60	700	1/2"	1286	652	945,00	1181,00	
	12	12	734	980	60	700	1/2"	1403	712	1020,00	1275,00	
	13	13	734	1060	60	700	1/2"	1520	771	1095,00	1369,00	
	14	14	734	1140	60	700	1/2"	1637	830	1168,00	1460,00	
	SEBINO 730	5	SE07301005	764	420	60	730	1/2"	603	306	510,00	637,00
		6	06	764	500	60	730	1/2"	724	367	584,00	730,00
		7	07	764	580	60	730	1/2"	844	428	660,00	825,00
		8	08	764	660	60	730	1/2"	965	489	735,00	918,00
9		09	764	740	60	730	1/2"	1085	550	815,00	1019,00	
10		10	764	820	60	730	1/2"	1206	611	893,00	1116,00	
11		11	764	900	60	730	1/2"	1327	672	975,00	1219,00	
12		12	764	980	60	730	1/2"	1447	733	1050,00	1312,00	
13		13	764	1060	60	730	1/2"	1568	794	1125,00	1406,00	
14		14	764	1140	60	730	1/2"	1688	855	1200,00	1500,00	
SEBINO 800		5	SE08001005	834	420	60	800	1/2"	645	326	520,00	650,00
		6	06	834	500	60	800	1/2"	774	391	600,00	750,00
		7	07	834	580	60	800	1/2"	903	456	680,00	850,00
		8	08	834	660	60	800	1/2"	1032	522	754,00	942,00
	9	09	834	740	60	800	1/2"	1161	587	840,00	1050,00	
	10	10	834	820	60	800	1/2"	1290	652	922,00	1152,00	
	11	11	834	900	60	800	1/2"	1419	717	1005,00	1256,00	
	12	12	834	980	60	800	1/2"	1548	782	1081,00	1351,00	
	13	13	834	1060	60	800	1/2"	1677	848	1165,00	1456,00	
	14	14	834	1140	60	800	1/2"	1806	913	1247,00	1558,00	
	SEBINO 813	5	SE08131005	847	420	60	813	1/2"	653	330	550,00	680,00
		6	06	847	500	60	813	1/2"	783	395	630,00	787,00
		7	07	847	580	60	813	1/2"	914	461	710,00	887,00
		8	08	847	660	60	813	1/2"	1044	527	792,00	990,00
9		09	847	740	60	813	1/2"	1175	593	880,00	1100,00	
10		10	847	820	60	813	1/2"	1305	659	968,00	1210,00	
11		11	847	900	60	813	1/2"	1436	725	1055,00	1319,00	
12		12	847	980	60	813	1/2"	1566	791	1135,00	1418,00	
13		13	847	1060	60	813	1/2"	1697	857	1220,00	1525,00	
14		14	847	1140	60	813	1/2"	1827	923	1310,00	1637,00	
SEBINO 900		4	SE09001004	934	340	60	900	1/2"	563	283	500,00	625,00
		5	05	934	420	60	900	1/2"	704	354	575,00	719,00
		6	06	934	500	60	900	1/2"	844	425	653,00	816,00
		7	07	934	580	60	900	1/2"	985	496	750,00	937,00
	8	08	934	660	60	900	1/2"	1126	566	840,00	1050,00	
	9	09	934	740	60	900	1/2"	1266	637	935,00	1169,00	
	10	10	934	820	60	900	1/2"	1407	708	1029,00	1286,00	
	11	11	934	900	60	900	1/2"	1548	779	1120,00	1400,00	
	12	12	934	980	60	900	1/2"	1688	850	1205,00	1506,00	
	13	13	934	1060	60	900	1/2"	1829	920	1295,00	1619,00	
	14	14	934	1140	60	900	1/2"	1970	991	1382,00	1727,00	
	SEBINO 1000	4	SE10001004	1034	340	60	1000	1/2"	608	305	530,00	662,00
		5	05	1034	420	60	1000	1/2"	761	382	616,00	770,00
		6	06	1034	500	60	1000	1/2"	913	458	706,00	882,00
7		07	1034	580	60	1000	1/2"	1065	534	800,00	1000,00	
8		08	1034	660	60	1000	1/2"	1217	610	895,00	1118,00	
9		09	1034	740	60	1000	1/2"	1369	687	990,00	1237,00	
10		10	1034	820	60	1000	1/2"	1521	763	1088,00	1360,00	
11		11	1034	900	60	1000	1/2"	1673	839	1185,00	1481,00	
12		12	1034	980	60	1000	1/2"	1825	916	1276,00	1595,00	
13		13	1034	1060	60	1000	1/2"	1977	992	1370,00	1712,00	
14		14	1034	1140	60	1000	1/2"	2129	1068	1465,00	1831,00	

radiator model

radiator model	n. of sections	CODE* white colour	overall height	dimensions mm		pipe centres	∅ connections	heat output EN 442 Watt		PRICE PER RADIATOR	
				width	depth			ΔT 50°C	ΔT 30°C	white RAL 9010 Euro	special colours** Euro
SEBINO 1200	4	SE12001004	1234	340	60	1200	1/2"	697	348	548,00	685,00
	5	05	1234	420	60	1200	1/2"	871	435	660,00	825,00
	6	06	1234	500	60	1200	1/2"	1045	522	771,00	963,00
	7	07	1234	580	60	1200	1/2"	1219	609	885,00	1106,00
	8	08	1234	660	60	1200	1/2"	1394	696	982,00	1227,00
	9	09	1234	740	60	1200	1/2"	1568	783	1090,00	1362,00
	10	10	1234	820	60	1200	1/2"	1742	870	1194,00	1492,00
SEBINO 1400	4	SE14001004	1434	340	60	1400	1/2"	782	388	593,00	741,00
	5	05	1434	420	60	1400	1/2"	978	485	716,00	895,00
	6	06	1434	500	60	1400	1/2"	1173	582	840,00	1050,00
	7	07	1434	580	60	1400	1/2"	1369	679	960,00	1200,00
	8	08	1434	660	60	1400	1/2"	1564	776	1081,00	1351,00
	9	09	1434	740	60	1400	1/2"	1760	873	1195,00	1494,00
	10	10	1434	820	60	1400	1/2"	1955	970	1312,00	1640,00
SEBINO 1600	4	SE16001004	1634	340	60	1600	1/2"	864	429	662,00	827,00
	5	05	1634	420	60	1600	1/2"	1081	536	794,00	992,00
	6	06	1634	500	60	1600	1/2"	1297	643	911,00	1138,00
	7	07	1634	580	60	1600	1/2"	1513	750	1040,00	1300,00
	8	08	1634	660	60	1600	1/2"	1729	858	1170,00	1462,00
	9	09	1634	740	60	1600	1/2"	1945	965	1300,00	1625,00
	10	10	1634	820	60	1600	1/2"	2161	1072	1428,00	1785,00
SEBINO 1735	4	SE17351004	1769	340	60	1735	1/2"	918	456	695,00	868,00
	5	05	1769	420	60	1735	1/2"	1148	570	833,00	1041,00
	6	06	1769	500	60	1735	1/2"	1378	683	956,00	1195,00
	7	07	1769	580	60	1735	1/2"	1607	797	1095,00	1369,00
	8	08	1769	660	60	1735	1/2"	1837	911	1228,00	1535,00
	9	09	1769	740	60	1735	1/2"	2066	1025	1365,00	1706,00
	10	10	1769	820	60	1735	1/2"	2296	1139	1498,00	1872,00
SEBINO 1800	4	SE18001004	1834	340	60	1800	1/2"	944	468	698,00	872,00
	5	05	1834	420	60	1800	1/2"	1181	586	835,00	1043,00
	6	06	1834	500	60	1800	1/2"	1417	703	982,00	1227,00
	7	07	1834	580	60	1800	1/2"	1653	820	1125,00	1406,00
	8	08	1834	660	60	1800	1/2"	1889	937	1260,00	1575,00
	9	09	1834	740	60	1800	1/2"	2125	1054	1400,00	1750,00
	10	10	1834	820	60	1800	1/2"	2361	1171	1538,00	1922,00
SEBINO 2000	4	SE20001004	2034	340	60	2000	1/2"	1026	509	725,00	906,00
	5	05	2034	420	60	2000	1/2"	1282	636	885,00	1106,00
	6	06	2034	500	60	2000	1/2"	1538	763	1055,00	1318,00
	7	07	2034	580	60	2000	1/2"	1795	890	1205,00	1506,00
	8	08	2034	660	60	2000	1/2"	2051	1018	1350,00	1687,00
	9	09	2034	740	60	2000	1/2"	2308	1145	1500,00	1875,00
	10	10	2034	820	60	2000	1/2"	2564	1272	1649,00	2060,00

accessories included for Sebino

n. 2/3 art. A051 brackets

art. A011 1/2" white or chrome plug (for coloured radiators)

n. 1 art. A041 1/2" white manual air vent valve or Art. A038 chrome (for coloured radiators)

- Grids and hole plugs are supplied in the same colour as the radiator.
- Chrome grids and hole plugs are supplied on request; free of charge for coloured radiators, at an extra charge for white radiators according to the price list.
- Sebino radiators can also be fitted with a bottom connection (50 mm pipe centres), for underfloor pipes (G-H-i-L-M configurations) at a charge of € 10,00 net each radiator.

radiator model

radiator model	n. of sections	CODE* white colour	overall height	dimensions mm		pipe centres	Ø connections	heat output EN 442 Watt		PRICE PER RADIATOR		
				width	depth			ΔT 50°C	ΔT 30°C	white	special colours**	
										RAL 9010 Euro	colours** Euro	
TONALE 350	6	TO03501006	384	300	95	350	1/2"	296	148	365,00	456,00	
	7	07	384	350	95	350	1/2"	346	172	425,00	531,00	
	8	08	384	400	95	350	1/2"	395	197	486,00	607,00	
	9	09	384	450	95	350	1/2"	445	221	547,00	683,00	
	10	10	384	500	95	350	1/2"	494	246	608,00	760,00	
	11	11	384	550	95	350	1/2"	543	271	668,00	835,00	
	12	12	384	600	95	350	1/2"	593	295	730,00	912,00	
	13	13	384	650	95	350	1/2"	642	320	790,00	987,00	
	14	14	384	700	95	350	1/2"	692	344	851,00	1063,00	
	15	15	384	750	95	350	1/2"	741	369	912,00	1140,00	
	16	16	384	800	95	350	1/2"	790	394	973,00	1216,00	
	17	17	384	850	95	350	1/2"	840	418	1034,00	1292,00	
	18	18	384	900	95	350	1/2"	889	443	1094,00	1367,00	
	19	19	384	950	95	350	1/2"	939	467	1155,00	1443,00	
	20	20	384	1000	95	350	1/2"	988	492	1216,00	1520,00	
	21	21	384	1050	95	350	1/2"	1037	517	1277,00	1596,00	
	22	22	384	1100	95	350	1/2"	1087	541	1338,00	1672,00	
	23	23	384	1150	95	350	1/2"	1136	566	1398,00	1747,00	
	24	24	384	1200	95	350	1/2"	1186	590	1460,00	1825,00	
	TONALE 500	6	TO05001006	534	300	95	500	1/2"	404	202	427,00	533,00
		7	07	534	350	95	500	1/2"	472	235	498,00	622,00
		8	08	534	400	95	500	1/2"	539	269	570,00	712,00
		9	09	534	450	95	500	1/2"	607	302	641,00	801,00
		10	10	534	500	95	500	1/2"	674	336	712,00	890,00
11		11	534	550	95	500	1/2"	741	370	783,00	978,00	
12		12	534	600	95	500	1/2"	809	403	855,00	1068,00	
13		13	534	650	95	500	1/2"	876	437	926,00	1157,00	
14		14	534	700	95	500	1/2"	944	470	997,00	1246,00	
15		15	534	750	95	500	1/2"	1011	504	1068,00	1335,00	
16		16	534	800	95	500	1/2"	1078	538	1140,00	1425,00	
17		17	534	850	95	500	1/2"	1146	571	1211,00	1513,00	
18		18	534	900	95	500	1/2"	1213	605	1282,00	1602,00	
19		19	534	950	95	500	1/2"	1281	638	1353,00	1691,00	
20		20	534	1000	95	500	1/2"	1348	672	1425,00	1781,00	
21		21	534	1050	95	500	1/2"	1415	706	1496,00	1870,00	
22		22	534	1100	95	500	1/2"	1483	739	1567,00	1958,00	
23		23	534	1150	95	500	1/2"	1550	773	1639,00	2048,00	
24		24	534	1200	95	500	1/2"	1618	806	1710,00	2137,00	
TONALE 530		6	TO05301006	564	300	95	530	1/2"	425	212	445,00	556,00
		7	07	564	350	95	530	1/2"	496	248	518,00	647,00
		8	08	564	400	95	530	1/2"	567	283	593,00	741,00
		9	09	564	450	95	530	1/2"	638	319	667,00	833,00
		10	10	564	500	95	530	1/2"	709	354	741,00	926,00
	11	11	564	550	95	530	1/2"	780	389	815,00	1018,00	
	12	12	564	600	95	530	1/2"	851	425	889,00	1112,00	
	13	13	564	650	95	530	1/2"	922	460	963,00	1203,00	
	14	14	564	700	95	530	1/2"	993	496	1037,00	1295,00	
	15	15	564	750	95	530	1/2"	1064	531	1112,00	1390,00	
	16	16	564	800	95	530	1/2"	1134	566	1185,00	1481,00	
	17	17	564	850	95	530	1/2"	1205	602	1260,00	1575,00	
	18	18	564	900	95	530	1/2"	1276	637	1334,00	1667,00	
	19	19	564	950	95	530	1/2"	1347	673	1408,00	1760,00	
	20	20	564	1000	95	530	1/2"	1418	708	1482,00	1852,00	
	21	21	564	1050	95	530	1/2"	1489	743	1556,00	1945,00	
	22	22	564	1100	95	530	1/2"	1560	779	1630,00	2037,00	
	23	23	564	1150	95	530	1/2"	1631	814	1704,00	2130,00	
	24	24	564	1200	95	530	1/2"	1702	850	1778,00	2223,00	

radiator model

radiator model	n. of sections	CODE* white colour	overall height	dimensions mm		pipe centres	∅ connections	heat output EN 442 Watt		PRICE PER RADIATOR		
				width	depth			ΔT 50°C	ΔT 30°C	white RAL 9010 Euro	special colours** Euro	
TONALE 600	6	TO06001006	634	300	95	600	1/2"	474	237	457,00	571,00	
	7	07	634	350	95	600	1/2"	553	277	534,00	667,00	
	8	08	634	400	95	600	1/2"	632	316	610,00	762,00	
	9	09	634	450	95	600	1/2"	711	356	686,00	857,00	
	10	10	634	500	95	600	1/2"	790	395	763,00	953,00	
	11	11	634	550	95	600	1/2"	869	435	839,00	1048,00	
	12	12	634	600	95	600	1/2"	948	474	915,00	1143,00	
	13	13	634	650	95	600	1/2"	1027	514	991,00	1238,00	
	14	14	634	700	95	600	1/2"	1106	553	1068,00	1335,00	
	15	15	634	750	95	600	1/2"	1185	593	1144,00	1430,00	
	16	16	634	800	95	600	1/2"	1264	632	1220,00	1525,00	
	17	17	634	850	95	600	1/2"	1343	672	1296,00	1620,00	
	18	18	634	900	95	600	1/2"	1422	711	1373,00	1716,00	
	19	19	634	950	95	600	1/2"	1501	751	1449,00	1811,00	
	20	20	634	1000	95	600	1/2"	1580	790	1525,00	1906,00	
	21	21	634	1050	95	600	1/2"	1659	830	1601,00	2000,00	
	22	22	634	1100	95	600	1/2"	1738	869	1754,00	2192,00	
	23	23	634	1150	95	600	1/2"	1817	909	1778,00	2223,00	
	24	24	634	1200	95	600	1/2"	1896	948	1830,00	2287,00	
	TONALE 623	6	TO06231006	657	300	95	623	1/2"	490	245	479,00	598,00
		7	07	657	350	95	623	1/2"	572	286	558,00	697,00
		8	08	657	400	95	623	1/2"	654	326	638,00	797,00
		9	09	657	450	95	623	1/2"	735	367	718,00	897,00
		10	10	657	500	95	623	1/2"	817	408	798,00	997,00
11		11	657	550	95	623	1/2"	899	449	878,00	1097,00	
12		12	657	600	95	623	1/2"	980	490	958,00	1197,00	
13		13	657	650	95	623	1/2"	1062	530	1037,00	1296,00	
14		14	657	700	95	623	1/2"	1144	571	1117,00	1396,00	
15		15	657	750	95	623	1/2"	1226	612	1197,00	1496,00	
16		16	657	800	95	623	1/2"	1307	653	1277,00	1596,00	
17		17	657	850	95	623	1/2"	1389	694	1357,00	1696,00	
18		18	657	900	95	623	1/2"	1471	734	1436,00	1795,00	
19		19	657	950	95	623	1/2"	1552	775	1516,00	1895,00	
20		20	657	1000	95	623	1/2"	1634	816	1596,00	1995,00	
21		21	657	1050	95	623	1/2"	1716	857	1675,00	2095,00	
22		22	657	1100	95	623	1/2"	1797	898	1756,00	2195,00	
23		23	657	1150	95	623	1/2"	1879	938	1835,00	2294,00	
24		24	657	1200	95	623	1/2"	1961	979	1915,00	2394,00	
TONALE 700		6	TO07001006	734	300	95	700	1/2"	543	272	502,00	627,00
		7	07	734	350	95	700	1/2"	634	317	585,00	731,00
		8	08	734	400	95	700	1/2"	724	362	669,00	836,00
		9	09	734	450	95	700	1/2"	815	408	752,00	940,00
		10	10	734	500	95	700	1/2"	905	453	836,00	1045,00
	11	11	734	550	95	700	1/2"	996	498	920,00	1150,00	
	12	12	734	600	95	700	1/2"	1086	544	1003,00	1253,00	
	13	13	734	650	95	700	1/2"	1177	589	1087,00	1358,00	
	14	14	734	700	95	700	1/2"	1267	634	1170,00	1462,00	
	15	15	734	750	95	700	1/2"	1358	680	1254,00	1567,00	
	16	16	734	800	95	700	1/2"	1448	725	1338,00	1672,00	
	17	17	734	850	95	700	1/2"	1539	770	1421,00	1776,00	
	18	18	734	900	95	700	1/2"	1629	815	1505,00	1881,00	
	19	19	734	950	95	700	1/2"	1720	861	1588,00	1985,00	
	20	20	734	1000	95	700	1/2"	1810	906	1672,00	2090,00	
	21	21	734	1050	95	700	1/2"	1901	951	1756,00	2195,00	
	22	22	734	1100	95	700	1/2"	1991	997	1839,00	2298,00	
	23	23	734	1150	95	700	1/2"	2082	1042	1923,00	2403,00	
	24	24	734	1200	95	700	1/2"	2172	1087	2006,00	2507,00	

radiator model

radiator model	n. of sections	CODE* white colour	overall height	dimensions mm		pipe centres	Ø connections	heat output EN 442 Watt		PRICE PER RADIATOR		
				width	depth			ΔT 50°C	ΔT 30°C	white	special colours**	
										RAL 9010 Euro	Euro	
TONALE 730	6	TO07301006	764	300	95	730	1/2"	563	282	513,00	641,00	
	7	07	764	350	95	730	1/2"	657	329	598,00	747,00	
	8	08	764	400	95	730	1/2"	751	376	684,00	855,00	
	9	09	764	450	95	730	1/2"	845	423	770,00	962,00	
	10	10	764	500	95	730	1/2"	939	470	855,00	1068,00	
	11	11	764	550	95	730	1/2"	1033	517	940,00	1175,00	
	12	12	764	600	95	730	1/2"	1127	564	1026,00	1282,00	
	13	13	764	650	95	730	1/2"	1221	611	1112,00	1390,00	
	14	14	764	700	95	730	1/2"	1315	658	1197,00	1496,00	
	15	15	764	750	95	730	1/2"	1409	705	1282,00	1602,00	
	16	16	764	800	95	730	1/2"	1502	752	1368,00	1710,00	
	17	17	764	850	95	730	1/2"	1596	799	1454,00	1817,00	
	18	18	764	900	95	730	1/2"	1690	846	1539,00	1923,00	
	19	19	764	950	95	730	1/2"	1784	893	1625,00	2031,00	
	20	20	764	1000	95	730	1/2"	1878	940	1710,00	2137,00	
	21	21	764	1050	95	730	1/2"	1972	987	1795,00	2243,00	
	22	22	764	1100	95	730	1/2"	2066	1034	1881,00	2351,00	
	23	23	764	1150	95	730	1/2"	2160	1081	1966,00	2457,00	
	24	24	764	1200	95	730	1/2"	2254	1128	2052,00	2565,00	
	TONALE 800	6	TO08001006	834	300	95	800	1/2"	610	305	530,00	662,00
		7	07	834	350	95	800	1/2"	712	356	618,00	772,00
		8	08	834	400	95	800	1/2"	814	407	707,00	884,00
		9	09	834	450	95	800	1/2"	915	458	795,00	994,00
		10	10	834	500	95	800	1/2"	1017	509	883,00	1104,00
11		11	834	550	95	800	1/2"	1119	560	972,00	1215,00	
12		12	834	600	95	800	1/2"	1220	611	1060,00	1325,00	
13		13	834	650	95	800	1/2"	1322	662	1148,00	1435,00	
14		14	834	700	95	800	1/2"	1424	713	1237,00	1546,00	
15		15	834	750	95	800	1/2"	1526	764	1325,00	1656,00	
16		16	834	800	95	800	1/2"	1627	814	1414,00	1767,00	
17		17	834	850	95	800	1/2"	1729	865	1502,00	1877,00	
18		18	834	900	95	800	1/2"	1831	916	1590,00	1987,00	
19		19	834	950	95	800	1/2"	1932	967	1678,00	2097,00	
20		20	834	1000	95	800	1/2"	2034	1018	1767,00	2208,00	
21		21	834	1050	95	800	1/2"	2136	1069	1855,00	2318,00	
22		22	834	1100	95	800	1/2"	2237	1120	1944,00	2430,00	
23		23	834	1150	95	800	1/2"	2339	1171	2032,00	2540,00	
24		24	834	1200	95	800	1/2"	2441	1222	2120,00	2650,00	
TONALE 813		6	TO08131006	847	300	95	813	1/2"	619	310	553,00	691,00
		7	07	847	350	95	813	1/2"	722	362	645,00	806,00
		8	08	847	400	95	813	1/2"	825	414	737,00	921,00
		9	09	847	450	95	813	1/2"	928	465	829,00	1036,00
		10	10	847	500	95	813	1/2"	1031	517	921,00	1151,00
	11	11	847	550	95	813	1/2"	1134	569	1014,00	1267,00	
	12	12	847	600	95	813	1/2"	1237	620	1105,00	1381,00	
	13	13	847	650	95	813	1/2"	1340	672	1198,00	1497,00	
	14	14	847	700	95	813	1/2"	1443	724	1290,00	1612,00	
	15	15	847	750	95	813	1/2"	1547	776	1382,00	1727,00	
	16	16	847	800	95	813	1/2"	1650	827	1474,00	1842,00	
	17	17	847	850	95	813	1/2"	1753	879	1566,00	1957,00	
	18	18	847	900	95	813	1/2"	1856	931	1658,00	2072,00	
	19	19	847	950	95	813	1/2"	1959	982	1750,00	2187,00	
	20	20	847	1000	95	813	1/2"	2062	1034	1843,00	2303,00	
	21	21	847	1050	95	813	1/2"	2165	1086	1935,00	2418,00	
	22	22	847	1100	95	813	1/2"	2268	1137	2027,00	2533,00	
	23	23	847	1150	95	813	1/2"	2371	1189	2120,00	2650,00	
	24	24	847	1200	95	813	1/2"	2474	1241	2212,00	2765,00	
	TONALE 900	4	TO09001004	934	200	95	900	1/2"	451	226	399,00	498,00
		5	05	934	250	95	900	1/2"	564	283	499,00	623,00
		6	06	934	300	95	900	1/2"	676	339	599,00	748,00
		7	07	934	350	95	900	1/2"	789	396	698,00	872,00

TONALE 900	8	TO09001008	934	400	95	900	1/2"	902	452	798,00	997,00	
	9	09	934	450	95	900	1/2"	1014	509	898,00	1122,00	
	10	10	934	500	95	900	1/2"	1127	565	998,00	1247,00	
	11	11	934	550	95	900	1/2"	1240	622	1097,00	1372,00	
	12	12	934	600	95	900	1/2"	1352	678	1197,00	1496,00	
	13	13	934	650	95	900	1/2"	1465	735	1297,00	1621,00	
	14	14	934	700	95	900	1/2"	1578	791	1397,00	1746,00	
	15	15	934	750	95	900	1/2"	1691	848	1496,00	1870,00	
	16	16	934	800	95	900	1/2"	1803	904	1596,00	1995,00	
	17	17	934	850	95	900	1/2"	1916	961	1696,00	2120,00	
	18	18	934	900	95	900	1/2"	2029	1017	1795,00	2243,00	
	19	19	934	950	95	900	1/2"	2141	1074	1895,00	2368,00	
	20	20	934	1000	95	900	1/2"	2254	1130	1995,00	2493,00	
	21	21	934	1050	95	900	1/2"	2367	1187	2095,00	2618,00	
	22	22	934	1100	95	900	1/2"	2479	1243	2194,00	2742,00	
	23	23	934	1150	95	900	1/2"	2592	1300	2294,00	2867,00	
	24	24	934	1200	95	900	1/2"	2705	1356	2394,00	2992,00	
	TONALE 1000	4	TO10001004	1034	200	95	1000	1/2"	494	246	437,00	546,00
		5	05	1034	250	95	1000	1/2"	618	308	546,00	682,00
		6	06	1034	300	95	1000	1/2"	741	370	655,00	818,00
		7	07	1034	350	95	1000	1/2"	865	431	765,00	956,00
		8	08	1034	400	95	1000	1/2"	988	493	874,00	1092,00
		9	09	1034	450	95	1000	1/2"	1112	554	983,00	1228,00
		10	10	1034	500	95	1000	1/2"	1235	616	1092,00	1365,00
11		11	1034	550	95	1000	1/2"	1359	678	1202,00	1502,00	
12		12	1034	600	95	1000	1/2"	1482	739	1311,00	1638,00	
13		13	1034	650	95	1000	1/2"	1606	801	1420,00	1775,00	
14		14	1034	700	95	1000	1/2"	1729	862	1530,00	1912,00	
15		15	1034	750	95	1000	1/2"	1853	924	1638,00	2047,00	
16		16	1034	800	95	1000	1/2"	1976	986	1748,00	2185,00	
17		17	1034	850	95	1000	1/2"	2100	1047	1857,00	2321,00	
18		18	1034	900	95	1000	1/2"	2223	1109	1966,00	2457,00	
19		19	1034	950	95	1000	1/2"	2347	1170	2076,00	2595,00	
20		20	1034	1000	95	1000	1/2"	2470	1232	2185,00	2731,00	
21		21	1034	1050	95	1000	1/2"	2594	1294	2294,00	2867,00	
22		22	1034	1100	95	1000	1/2"	2717	1355	2403,00	3003,00	
23		23	1034	1150	95	1000	1/2"	2841	1417	2513,00	3141,00	
24		24	1034	1200	95	1000	1/2"	2964	1478	2622,00	3277,00	
TONALE 1200		4	TO12001004	1234	200	95	1200	1/2"	578	286	494,00	617,00
		5	05	1234	250	95	1200	1/2"	723	358	617,00	771,00
		6	06	1234	300	95	1200	1/2"	868	429	741,00	926,00
	7	07	1234	350	95	1200	1/2"	1012	501	864,00	1080,00	
	8	08	1234	400	95	1200	1/2"	1157	572	988,00	1247,00	
	9	09	1234	450	95	1200	1/2"	1301	644	1112,00	1390,00	
	10	10	1234	500	95	1200	1/2"	1446	715	1235,00	1543,00	
	11	11	1234	550	95	1200	1/2"	1591	787	1358,00	1697,00	
	12	12	1234	600	95	1200	1/2"	1735	858	1482,00	1852,00	
	13	13	1234	650	95	1200	1/2"	1880	930	1605,00	2006,00	
	14	14	1234	700	95	1200	1/2"	2024	1001	1729,00	2161,00	
	15	15	1234	750	95	1200	1/2"	2169	1073	1852,00	2315,00	
	16	16	1234	800	95	1200	1/2"	2314	1144	1976,00	2470,00	
	TONALE 1400	4	TO14001004	1434	200	95	1400	1/2"	660	323	547,00	683,00
		5	05	1434	250	95	1400	1/2"	825	404	684,00	855,00
		6	06	1434	300	95	1400	1/2"	990	484	820,00	1025,00
7		07	1434	350	95	1400	1/2"	1155	565	958,00	1197,00	
8		08	1434	400	95	1400	1/2"	1320	646	1094,00	1367,00	
9		09	1434	450	95	1400	1/2"	1485	726	1230,00	1537,00	
10		10	1434	500	95	1400	1/2"	1650	807	1368,00	1710,00	
11		11	1434	550	95	1400	1/2"	1815	888	1505,00	1881,00	
12		12	1434	600	95	1400	1/2"	1980	968	1642,00	2052,00	
13		13	1434	650	95	1400	1/2"	2145	1049	1778,00	2223,00	
14		14	1434	700	95	1400	1/2"	2310	1130	1915,00	2393,00	
15		15	1434	750	95	1400	1/2"	2475	1211	2052,00	2565,00	
16		16	1434	800	95	1400	1/2"	2640	1291	2188,00	2735,00	

radiator model

radiator model	n. of sections	CODE* white colour	overall height	dimensions mm		pipe centres	Ø connections	heat output EN 442 Watt		PRICE PER RADIATOR		
				width	depth			ΔT 50°C	ΔT 30°C	white	special colours**	
										RAL 9010 Euro	Euro	
TONALE 1600	4	TO16001004	1634	200	95	1600	1/2"	738	362	595,00	743,00	
	5	05	1634	250	95	1600	1/2"	923	453	744,00	930,00	
	6	06	1634	300	95	1600	1/2"	1108	544	893,00	1116,00	
	7	07	1634	350	95	1600	1/2"	1292	634	1042,00	1302,00	
	8	08	1634	400	95	1600	1/2"	1477	725	1190,00	1487,00	
	9	09	1634	450	95	1600	1/2"	1661	815	1339,00	1673,00	
	10	10	1634	500	95	1600	1/2"	1846	906	1488,00	1860,00	
	11	11	1634	550	95	1600	1/2"	2031	997	1637,00	2046,00	
	12	12	1634	600	95	1600	1/2"	2215	1087	1786,00	2232,00	
	13	13	1634	650	95	1600	1/2"	2400	1178	1934,00	2417,00	
	14	14	1634	700	95	1600	1/2"	2584	1268	2083,00	2603,00	
	15	15	1634	750	95	1600	1/2"	2769	1359	2232,00	2790,00	
	16	16	1634	800	95	1600	1/2"	2954	1450	2380,00	2975,00	
	TONALE 1735	4	TO17351004	1769	200	95	1735	1/2"	790	388	654,00	817,00
		5	05	1769	250	95	1735	1/2"	988	485	817,00	1021,00
		6	06	1769	300	95	1735	1/2"	1185	582	980,00	1225,00
7		07	1769	350	95	1735	1/2"	1383	679	1144,00	1430,00	
8		08	1769	400	95	1735	1/2"	1580	776	1307,00	1633,00	
9		09	1769	450	95	1735	1/2"	1778	873	1470,00	1837,00	
10		10	1769	500	95	1735	1/2"	1975	970	1634,00	2042,00	
11		11	1769	550	95	1735	1/2"	2173	1067	1797,00	2246,00	
12		12	1769	600	95	1735	1/2"	2370	1164	1960,00	2450,00	
13		13	1769	650	95	1735	1/2"	2568	1261	2124,00	2655,00	
14		14	1769	700	95	1735	1/2"	2765	1358	2288,00	2860,00	
15		15	1769	750	95	1735	1/2"	2963	1455	2450,00	3062,00	
16		16	1769	800	95	1735	1/2"	3160	1552	2614,00	3267,00	
TONALE 1800		4	TO18001004	1834	200	95	1800	1/2"	814	400	670,00	837,00
		5	05	1834	250	95	1800	1/2"	1018	501	837,00	1046,00
		6	06	1834	300	95	1800	1/2"	1222	601	1004,00	1255,00
	7	07	1834	350	95	1800	1/2"	1425	701	1172,00	1465,00	
	8	08	1834	400	95	1800	1/2"	1629	801	1339,00	1673,00	
	9	09	1834	450	95	1800	1/2"	1832	901	1507,00	1883,00	
	10	10	1834	500	95	1800	1/2"	2036	1001	1674,00	2092,00	
	11	11	1834	550	95	1800	1/2"	2240	1101	1841,00	2300,00	
	12	12	1834	600	95	1800	1/2"	2443	1201	2009,00	2511,00	
	13	13	1834	650	95	1800	1/2"	2647	1301	2176,00	2720,00	
	14	14	1834	700	95	1800	1/2"	2850	1401	2344,00	2930,00	
	15	15	1834	750	95	1800	1/2"	3054	1502	2511,00	3138,00	
	16	16	1834	800	95	1800	1/2"	3258	1602	2678,00	3347,00	
	TONALE 2000	4	TO20001004	2034	200	95	2000	1/2"	888	438	707,00	883,00
		5	05	2034	250	95	2000	1/2"	1110	547	883,00	1103,00
		6	06	2034	300	95	2000	1/2"	1332	656	1060,00	1325,00
7		07	2034	350	95	2000	1/2"	1554	766	1237,00	1546,00	
8		08	2034	400	95	2000	1/2"	1776	875	1414,00	1767,00	
9		09	2034	450	95	2000	1/2"	1998	985	1590,00	1987,00	
10		10	2034	500	95	2000	1/2"	2220	1094	1767,00	2208,00	
11		11	2034	550	95	2000	1/2"	2442	1203	1944,00	2430,00	
12		12	2034	600	95	2000	1/2"	2664	1313	2120,00	2650,00	
13		13	2034	650	95	2000	1/2"	2886	1422	2297,00	2870,00	
14		14	2034	700	95	2000	1/2"	3108	1532	2474,00	3092,00	
15		15	2034	750	95	2000	1/2"	3330	1641	2650,00	3312,00	
16		16	2034	800	95	2000	1/2"	3552	1750	2827,00	3533,00	

accessories included for Tonale

n. 2/3 art. A260 brackets

art. A011 1/2" white or chrome plug (for coloured radiators)

n. 1 art. A041 1/2" white manual air vent valve or Art. A038 chrome (for coloured radiators)

- Grids and hole plugs are supplied in the same colour as the radiator.
- Chrome grids and hole plugs are supplied on request; free of charge for coloured radiators, at an extra charge for white radiators according to the price list.
- Tonale radiators can also be fitted with a bottom connection (50 mm pipe centres), for underfloor pipes (G-H-i-L-M configurations) at a charge of € 10,00 net each radiator.

radiator model



**ANTEPRIMA
350**

n. of sections	CODE* white colour	overall height	dimensions mm		pipe centres	∅ connections	heat output EN 442 Watt		PRICE PER RADIATOR	
			width	depth			ΔT 50°C	ΔT 30°C	white RAL 9010 Euro	special colours** Euro
6	AN03501006	384	300	95	350	1/2"	288	145	365,00	456,00
7	07	384	350	95	350	1/2"	336	169	425,00	531,00
8	08	384	400	95	350	1/2"	384	193	486,00	607,00
9	09	384	450	95	350	1/2"	432	217	547,00	683,00
10	10	384	500	95	350	1/2"	480	241	608,00	760,00
11	11	384	550	95	350	1/2"	528	265	668,00	835,00
12	12	384	600	95	350	1/2"	576	289	730,00	912,00
13	13	384	650	95	350	1/2"	624	313	790,00	987,00
14	14	384	700	95	350	1/2"	672	337	851,00	1063,00
15	15	384	750	95	350	1/2"	720	362	912,00	1140,00
16	16	384	800	95	350	1/2"	768	386	973,00	1216,00
17	17	384	850	95	350	1/2"	816	410	1034,00	1292,00
18	18	384	900	95	350	1/2"	864	434	1094,00	1367,00
19	19	384	950	95	350	1/2"	912	458	1155,00	1443,00
20	20	384	1000	95	350	1/2"	960	482	1216,00	1520,00
21	21	384	1050	95	350	1/2"	1008	506	1277,00	1596,00
22	22	384	1100	95	350	1/2"	1056	530	1338,00	1672,00
23	23	384	1150	95	350	1/2"	1104	554	1398,00	1747,00
24	24	384	1200	95	350	1/2"	1152	578	1460,00	1825,00



**ANTEPRIMA
500**

6	AN05001006	534	300	95	500	1/2"	391	197	427,00	533,00
7	07	534	350	95	500	1/2"	456	230	498,00	622,00
8	08	534	400	95	500	1/2"	522	262	570,00	712,00
9	09	534	450	95	500	1/2"	587	295	641,00	801,00
10	10	534	500	95	500	1/2"	652	328	712,00	890,00
11	11	534	550	95	500	1/2"	717	361	783,00	978,00
12	12	534	600	95	500	1/2"	782	394	855,00	1068,00
13	13	534	650	95	500	1/2"	848	426	926,00	1157,00
14	14	534	700	95	500	1/2"	913	459	997,00	1246,00
15	15	534	750	95	500	1/2"	978	492	1068,00	1335,00
16	16	534	800	95	500	1/2"	1043	525	1140,00	1425,00
17	17	534	850	95	500	1/2"	1108	558	1211,00	1513,00
18	18	534	900	95	500	1/2"	1174	590	1282,00	1602,00
19	19	534	950	95	500	1/2"	1239	623	1353,00	1691,00
20	20	534	1000	95	500	1/2"	1304	656	1425,00	1781,00
21	21	534	1050	95	500	1/2"	1369	689	1496,00	1870,00
22	22	534	1100	95	500	1/2"	1434	722	1567,00	1958,00
23	23	534	1150	95	500	1/2"	1500	754	1639,00	2048,00
24	24	534	1200	95	500	1/2"	1565	787	1710,00	2137,00

**ANTEPRIMA
530**

6	AN05301006	564	300	95	530	1/2"	412	207	445,00	556,00
7	07	564	350	95	530	1/2"	480	242	518,00	647,00
8	08	564	400	95	530	1/2"	549	276	593,00	741,00
9	09	564	450	95	530	1/2"	617	311	667,00	833,00
10	10	564	500	95	530	1/2"	686	345	741,00	926,00
11	11	564	550	95	530	1/2"	755	380	815,00	1018,00
12	12	564	600	95	530	1/2"	823	414	889,00	1112,00
13	13	564	650	95	530	1/2"	892	449	963,00	1203,00
14	14	564	700	95	530	1/2"	960	483	1037,00	1295,00
15	15	564	750	95	530	1/2"	1029	518	1112,00	1390,00
16	16	564	800	95	530	1/2"	1098	552	1185,00	1481,00
17	17	564	850	95	530	1/2"	1166	587	1260,00	1575,00
18	18	564	900	95	530	1/2"	1235	621	1334,00	1667,00
19	19	564	950	95	530	1/2"	1303	656	1408,00	1760,00
20	20	564	1000	95	530	1/2"	1372	690	1482,00	1852,00
21	21	564	1050	95	530	1/2"	1441	725	1556,00	1945,00
22	22	564	1100	95	530	1/2"	1509	759	1630,00	2037,00
23	23	564	1150	95	530	1/2"	1578	794	1704,00	2130,00
24	24	564	1200	95	530	1/2"	1646	828	1778,00	2223,00

radiator model

radiator model	n. of sections	CODE* white colour	overall height	dimensions mm		pipe centres	Ø connections	heat output EN 442 Watt		PRICE PER RADIATOR		
				width	depth			ΔT 50°C	ΔT 30°C	white	special colours**	
										RAL 9010 Euro	colours** Euro	
ANTEPRIMA 600	6	AN06001006	634	300	95	600	1/2"	458	231	457,00	571,00	
	7	07	634	350	95	600	1/2"	535	270	534,00	667,00	
	8	08	634	400	95	600	1/2"	611	308	610,00	762,00	
	9	09	634	450	95	600	1/2"	688	347	686,00	857,00	
	10	10	634	500	95	600	1/2"	764	385	763,00	953,00	
	11	11	634	550	95	600	1/2"	840	424	839,00	1048,00	
	12	12	634	600	95	600	1/2"	917	462	915,00	1143,00	
	13	13	634	650	95	600	1/2"	993	501	991,00	1238,00	
	14	14	634	700	95	600	1/2"	1070	539	1068,00	1335,00	
	15	15	634	750	95	600	1/2"	1146	578	1144,00	1430,00	
	16	16	634	800	95	600	1/2"	1222	616	1220,00	1525,00	
	17	17	634	850	95	600	1/2"	1299	655	1296,00	1620,00	
	18	18	634	900	95	600	1/2"	1375	693	1373,00	1716,00	
	19	19	634	950	95	600	1/2"	1452	732	1449,00	1811,00	
	20	20	634	1000	95	600	1/2"	1528	770	1525,00	1906,00	
	21	21	634	1050	95	600	1/2"	1604	809	1601,00	2000,00	
	22	22	634	1100	95	600	1/2"	1681	847	1754,00	2192,00	
	23	23	634	1150	95	600	1/2"	1757	886	1778,00	2223,00	
	24	24	634	1200	95	600	1/2"	1834	924	1830,00	2287,00	
	ANTEPRIMA 623	6	AN06231006	657	300	95	623	1/2"	474	239	479,00	598,00
		7	07	657	350	95	623	1/2"	553	279	558,00	697,00
		8	08	657	400	95	623	1/2"	632	318	638,00	797,00
		9	09	657	450	95	623	1/2"	711	358	718,00	897,00
		10	10	657	500	95	623	1/2"	790	398	798,00	997,00
11		11	657	550	95	623	1/2"	869	438	878,00	1097,00	
12		12	657	600	95	623	1/2"	948	478	958,00	1197,00	
13		13	657	650	95	623	1/2"	1027	517	1037,00	1296,00	
14		14	657	700	95	623	1/2"	1106	557	1117,00	1396,00	
15		15	657	750	95	623	1/2"	1185	597	1197,00	1496,00	
16		16	657	800	95	623	1/2"	1264	637	1277,00	1596,00	
17		17	657	850	95	623	1/2"	1343	677	1357,00	1696,00	
18		18	657	900	95	623	1/2"	1422	716	1436,00	1795,00	
19		19	657	950	95	623	1/2"	1501	756	1516,00	1895,00	
20		20	657	1000	95	623	1/2"	1580	796	1596,00	1995,00	
21		21	657	1050	95	623	1/2"	1659	836	1675,00	2095,00	
22		22	657	1100	95	623	1/2"	1738	876	1756,00	2195,00	
23		23	657	1150	95	623	1/2"	1817	915	1835,00	2294,00	
24		24	657	1200	95	623	1/2"	1896	955	1915,00	2394,00	
ANTEPRIMA 700		6	AN07001006	734	300	95	700	1/2"	524	265	502,00	627,00
		7	07	734	350	95	700	1/2"	612	309	585,00	731,00
		8	08	734	400	95	700	1/2"	699	353	669,00	836,00
		9	09	734	450	95	700	1/2"	787	397	752,00	940,00
		10	10	734	500	95	700	1/2"	874	441	836,00	1045,00
	11	11	734	550	95	700	1/2"	961	485	920,00	1150,00	
	12	12	734	600	95	700	1/2"	1049	529	1003,00	1253,00	
	13	13	734	650	95	700	1/2"	1136	573	1087,00	1358,00	
	14	14	734	700	95	700	1/2"	1224	617	1170,00	1462,00	
	15	15	734	750	95	700	1/2"	1311	662	1254,00	1567,00	
	16	16	734	800	95	700	1/2"	1398	706	1338,00	1672,00	
	17	17	734	850	95	700	1/2"	1486	750	1421,00	1776,00	
	18	18	734	900	95	700	1/2"	1573	794	1505,00	1881,00	
	19	19	734	950	95	700	1/2"	1661	838	1588,00	1985,00	
	20	20	734	1000	95	700	1/2"	1748	882	1672,00	2090,00	
	21	21	734	1050	95	700	1/2"	1835	926	1756,00	2195,00	
	22	22	734	1100	95	700	1/2"	1923	970	1839,00	2298,00	
	23	23	734	1150	95	700	1/2"	2010	1014	1923,00	2403,00	
	24	24	734	1200	95	700	1/2"	2098	1058	2006,00	2507,00	


radiator model



radiator model	n. of sections	CODE* white colour	overall height	dimensions mm		pipe centres	∅ connections	heat output EN 442 Watt		PRICE PER RADIATOR		
				width	depth			ΔT 50°C	ΔT 30°C	white	special colours**	
										RAL 9010 Euro	colours** Euro	
ANTEPRIMA 730	6	AN07301006	764	300	95	730	1/2"	544	275	513,00	641,00	
	7	07	764	350	95	730	1/2"	635	321	598,00	747,00	
	8	08	764	400	95	730	1/2"	726	366	684,00	855,00	
	9	09	764	450	95	730	1/2"	816	412	770,00	962,00	
	10	10	764	500	95	730	1/2"	907	458	855,00	1068,00	
	11	11	764	550	95	730	1/2"	998	504	940,00	1175,00	
	12	12	764	600	95	730	1/2"	1088	550	1026,00	1282,00	
	13	13	764	650	95	730	1/2"	1179	595	1112,00	1390,00	
	14	14	764	700	95	730	1/2"	1270	641	1197,00	1496,00	
	15	15	764	750	95	730	1/2"	1361	687	1282,00	1602,00	
	16	16	764	800	95	730	1/2"	1451	733	1368,00	1710,00	
	17	17	764	850	95	730	1/2"	1542	779	1454,00	1817,00	
	18	18	764	900	95	730	1/2"	1633	824	1539,00	1923,00	
	19	19	764	950	95	730	1/2"	1723	870	1625,00	2031,00	
	20	20	764	1000	95	730	1/2"	1814	916	1710,00	2137,00	
	21	21	764	1050	95	730	1/2"	1905	962	1795,00	2243,00	
	22	22	764	1100	95	730	1/2"	1995	1008	1881,00	2351,00	
	23	23	764	1150	95	730	1/2"	2086	1053	1966,00	2457,00	
	24	24	764	1200	95	730	1/2"	2177	1099	2052,00	2565,00	
	ANTEPRIMA 800	6	AN08001006	834	300	95	800	1/2"	589	298	530,00	662,00
		7	07	834	350	95	800	1/2"	687	347	618,00	772,00
		8	08	834	400	95	800	1/2"	786	397	707,00	884,00
		9	09	834	450	95	800	1/2"	884	446	795,00	994,00
		10	10	834	500	95	800	1/2"	982	496	883,00	1104,00
11		11	834	550	95	800	1/2"	1080	546	972,00	1215,00	
12		12	834	600	95	800	1/2"	1178	595	1060,00	1325,00	
13		13	834	650	95	800	1/2"	1277	645	1148,00	1435,00	
14		14	834	700	95	800	1/2"	1375	694	1237,00	1546,00	
15		15	834	750	95	800	1/2"	1473	744	1325,00	1656,00	
16		16	834	800	95	800	1/2"	1571	794	1414,00	1767,00	
17		17	834	850	95	800	1/2"	1669	843	1502,00	1877,00	
18		18	834	900	95	800	1/2"	1768	893	1590,00	1987,00	
19		19	834	950	95	800	1/2"	1866	942	1678,00	2097,00	
20		20	834	1000	95	800	1/2"	1964	992	1767,00	2208,00	
21		21	834	1050	95	800	1/2"	2062	1042	1855,00	2318,00	
22		22	834	1100	95	800	1/2"	2160	1091	1944,00	2430,00	
23		23	834	1150	95	800	1/2"	2259	1141	2032,00	2540,00	
24		24	834	1200	95	800	1/2"	2357	1190	2120,00	2650,00	
ANTEPRIMA 813		6	AN08131006	847	300	95	813	1/2"	598	302	553,00	691,00
		7	07	847	350	95	813	1/2"	697	353	645,00	806,00
		8	08	847	400	95	813	1/2"	797	403	737,00	921,00
		9	09	847	450	95	813	1/2"	896	454	829,00	1036,00
		10	10	847	500	95	813	1/2"	996	504	921,00	1151,00
	11	11	847	550	95	813	1/2"	1096	554	1014,00	1267,00	
	12	12	847	600	95	813	1/2"	1195	605	1105,00	1381,00	
	13	13	847	650	95	813	1/2"	1295	655	1198,00	1497,00	
	14	14	847	700	95	813	1/2"	1394	706	1290,00	1612,00	
	15	15	847	750	95	813	1/2"	1494	756	1382,00	1727,00	
	16	16	847	800	95	813	1/2"	1594	806	1474,00	1842,00	
	17	17	847	850	95	813	1/2"	1693	857	1566,00	1957,00	
	18	18	847	900	95	813	1/2"	1793	907	1658,00	2072,00	
	19	19	847	950	95	813	1/2"	1892	958	1750,00	2187,00	
	20	20	847	1000	95	813	1/2"	1992	1008	1843,00	2303,00	
	21	21	847	1050	95	813	1/2"	2092	1058	1935,00	2418,00	
	22	22	847	1100	95	813	1/2"	2191	1109	2027,00	2533,00	
	23	23	847	1150	95	813	1/2"	2291	1159	2120,00	2650,00	
	24	24	847	1200	95	813	1/2"	2390	1210	2212,00	2765,00	

radiator model

n. of sections	CODE* white colour	overall height	dimensions mm		pipe centres	Ø connections	heat output EN 442 Watt		PRICE PER RADIATOR		
			width	depth			ΔT 50°C	ΔT 30°C	white	special colours**	
									RAL 9010 Euro	Euro	
ANTEPRIMA 900											
4	AN09001004	934	200	95	900	1/2"	436	220	399,00	498,00	
5	05	934	250	95	900	1/2"	545	276	499,00	623,00	
6	06	934	300	95	900	1/2"	653	331	599,00	748,00	
7	07	934	350	95	900	1/2"	762	386	698,00	872,00	
8	08	934	400	95	900	1/2"	871	441	798,00	997,00	
9	09	934	450	95	900	1/2"	980	496	898,00	1122,00	
10	10	934	500	95	900	1/2"	1089	551	998,00	1247,00	
11	11	934	550	95	900	1/2"	1198	606	1097,00	1372,00	
12	12	934	600	95	900	1/2"	1307	661	1197,00	1496,00	
13	13	934	650	95	900	1/2"	1416	716	1297,00	1621,00	
14	14	934	700	95	900	1/2"	1525	771	1397,00	1746,00	
15	15	934	750	95	900	1/2"	1634	827	1496,00	1870,00	
16	16	934	800	95	900	1/2"	1742	882	1596,00	1995,00	
17	17	934	850	95	900	1/2"	1851	937	1696,00	2120,00	
18	18	934	900	95	900	1/2"	1960	992	1795,00	2243,00	
19	19	934	950	95	900	1/2"	2069	1047	1895,00	2368,00	
20	20	934	1000	95	900	1/2"	2178	1102	1995,00	2493,00	
21	21	934	1050	95	900	1/2"	2287	1157	2095,00	2618,00	
22	22	934	1100	95	900	1/2"	2396	1212	2194,00	2742,00	
23	23	934	1150	95	900	1/2"	2505	1267	2294,00	2867,00	
24	24	934	1200	95	900	1/2"	2614	1322	2394,00	2992,00	
ANTEPRIMA 1000											
4	AN10001004	1034	200	95	1000	1/2"	478	240	437,00	546,00	
5	05	1034	250	95	1000	1/2"	597	301	546,00	682,00	
6	06	1034	300	95	1000	1/2"	716	361	655,00	818,00	
7	07	1034	350	95	1000	1/2"	836	421	765,00	956,00	
8	08	1034	400	95	1000	1/2"	955	481	874,00	1092,00	
9	09	1034	450	95	1000	1/2"	1075	541	983,00	1228,00	
10	10	1034	500	95	1000	1/2"	1194	601	1092,00	1365,00	
11	11	1034	550	95	1000	1/2"	1313	661	1202,00	1502,00	
12	12	1034	600	95	1000	1/2"	1433	721	1311,00	1638,00	
13	13	1034	650	95	1000	1/2"	1552	781	1420,00	1775,00	
14	14	1034	700	95	1000	1/2"	1672	841	1530,00	1912,00	
15	15	1034	750	95	1000	1/2"	1791	902	1638,00	2047,00	
16	16	1034	800	95	1000	1/2"	1910	962	1748,00	2185,00	
17	17	1034	850	95	1000	1/2"	2030	1022	1857,00	2321,00	
18	18	1034	900	95	1000	1/2"	2149	1082	1966,00	2457,00	
19	19	1034	950	95	1000	1/2"	2269	1142	2076,00	2595,00	
20	20	1034	1000	95	1000	1/2"	2388	1202	2185,00	2731,00	
21	21	1034	1050	95	1000	1/2"	2507	1262	2294,00	2867,00	
22	22	1034	1100	95	1000	1/2"	2627	1322	2403,00	3003,00	
23	23	1034	1150	95	1000	1/2"	2746	1382	2513,00	3141,00	
24	24	1034	1200	95	1000	1/2"	2866	1442	2622,00	3277,00	
ANTEPRIMA 1200											
4	AN12001004	1234	200	95	1200	1/2"	560	279	494,00	617,00	
5	05	1234	250	95	1200	1/2"	700	349	617,00	771,00	
6	06	1234	300	95	1200	1/2"	839	418	741,00	926,00	
7	07	1234	350	95	1200	1/2"	979	488	864,00	1080,00	
8	08	1234	400	95	1200	1/2"	1119	558	998,00	1247,00	
9	09	1234	450	95	1200	1/2"	1259	627	1112,00	1390,00	
10	10	1234	500	95	1200	1/2"	1399	697	1235,00	1543,00	
11	11	1234	550	95	1200	1/2"	1539	767	1358,00	1697,00	
12	12	1234	600	95	1200	1/2"	1679	836	1482,00	1852,00	
13	13	1234	650	95	1200	1/2"	1819	906	1605,00	2006,00	
14	14	1234	700	95	1200	1/2"	1959	976	1729,00	2161,00	
15	15	1234	750	95	1200	1/2"	2099	1046	1852,00	2315,00	
16	16	1234	800	95	1200	1/2"	2238	1115	1976,00	2470,00	



radiator model



radiator model	n. of sections	CODE* white colour	overall height	dimensions mm			Ø connections	heat output EN 442 Watt		PRICE PER RADIATOR		
				width	depth	pipe centres		ΔT 50°C	ΔT 30°C	white	special colours**	
										RAL 9010 Euro	colours** Euro	
ANTEPRIMA 1400	4	AN14001004	1434	200	95	1400	1/2"	640	315	547,00	683,00	
	5	05	1434	250	95	1400	1/2"	800	394	684,00	855,00	
	6	06	1434	300	95	1400	1/2"	960	473	820,00	1025,00	
	7	07	1434	350	95	1400	1/2"	1120	552	958,00	1197,00	
	8	08	1434	400	95	1400	1/2"	1280	630	1094,00	1367,00	
	9	09	1434	450	95	1400	1/2"	1440	709	1230,00	1537,00	
	10	10	1434	500	95	1400	1/2"	1600	788	1368,00	1710,00	
	11	11	1434	550	95	1400	1/2"	1760	867	1505,00	1881,00	
	12	12	1434	600	95	1400	1/2"	1920	946	1642,00	2052,00	
	13	13	1434	650	95	1400	1/2"	2080	1024	1778,00	2223,00	
	14	14	1434	700	95	1400	1/2"	2240	1103	1915,00	2393,00	
	15	15	1434	750	95	1400	1/2"	2400	1182	2052,00	2565,00	
	16	16	1434	800	95	1400	1/2"	2560	1261	2188,00	2735,00	
	ANTEPRIMA 1600	4	AN16001004	1634	200	95	1600	1/2"	718	355	595,00	743,00
		5	05	1634	250	95	1600	1/2"	898	444	744,00	930,00
		6	06	1634	300	95	1600	1/2"	1077	532	893,00	1116,00
7		07	1634	350	95	1600	1/2"	1257	621	1042,00	1302,00	
8		08	1634	400	95	1600	1/2"	1436	710	1190,00	1487,00	
9		09	1634	450	95	1600	1/2"	1616	798	1339,00	1673,00	
10		10	1634	500	95	1600	1/2"	1795	887	1488,00	1860,00	
11		11	1634	550	95	1600	1/2"	1975	976	1637,00	2046,00	
12		12	1634	600	95	1600	1/2"	2154	1064	1786,00	2232,00	
13		13	1634	650	95	1600	1/2"	2334	1153	1934,00	2417,00	
14		14	1634	700	95	1600	1/2"	2513	1242	2083,00	2603,00	
15		15	1634	750	95	1600	1/2"	2693	1331	2232,00	2790,00	
16		16	1634	800	95	1600	1/2"	2872	1419	2380,00	2975,00	
ANTEPRIMA 1735		4	AN17351004	1769	200	95	1735	1/2"	770	381	654,00	817,00
		5	05	1769	250	95	1735	1/2"	962	476	817,00	1021,00
		6	06	1769	300	95	1735	1/2"	1154	571	980,00	1225,00
	7	07	1769	350	95	1735	1/2"	1347	666	1144,00	1430,00	
	8	08	1769	400	95	1735	1/2"	1539	762	1307,00	1633,00	
	9	09	1769	450	95	1735	1/2"	1732	857	1470,00	1837,00	
	10	10	1769	500	95	1735	1/2"	1924	952	1634,00	2042,00	
	11	11	1769	550	95	1735	1/2"	2116	1047	1797,00	2246,00	
	12	12	1769	600	95	1735	1/2"	2309	1142	1960,00	2450,00	
	13	13	1769	650	95	1735	1/2"	2501	1238	2124,00	2655,00	
	14	14	1769	700	95	1735	1/2"	2694	1333	2288,00	2860,00	
	15	15	1769	750	95	1735	1/2"	2886	1428	2450,00	3062,00	
	16	16	1769	800	95	1735	1/2"	3078	1523	2614,00	3267,00	
	ANTEPRIMA 1800	4	AN18001004	1834	200	95	1800	1/2"	794	393	670,00	837,00
		5	05	1834	250	95	1800	1/2"	993	492	837,00	1046,00
		6	06	1834	300	95	1800	1/2"	1191	590	1004,00	1255,00
7		07	1834	350	95	1800	1/2"	1390	688	1172,00	1465,00	
8		08	1834	400	95	1800	1/2"	1588	786	1339,00	1673,00	
9		09	1834	450	95	1800	1/2"	1787	885	1507,00	1883,00	
10		10	1834	500	95	1800	1/2"	1985	983	1674,00	2092,00	
11		11	1834	550	95	1800	1/2"	2184	1081	1841,00	2300,00	
12		12	1834	600	95	1800	1/2"	2382	1180	2009,00	2511,00	
13		13	1834	650	95	1800	1/2"	2581	1278	2176,00	2720,00	
14		14	1834	700	95	1800	1/2"	2779	1376	2344,00	2930,00	
15		15	1834	750	95	1800	1/2"	2978	1475	2511,00	3138,00	
16		16	1834	800	95	1800	1/2"	3176	1573	2678,00	3347,00	

radiator model



radiator model	n. of sections	CODE* white colour	overall height	dimensions mm		pipe centres	Ø connections	heat output EN 442 Watt		PRICE PER RADIATOR	
				width	depth			ΔT 50°C	ΔT 30°C	white RAL 9010 Euro	special colours** Euro
ANTEPRIMA 2000	4	AN20001004	2034	200	95	2000	1/2"	868	431	707,00	883,00
	5	05	2034	250	95	2000	1/2"	1086	539	883,00	1103,00
	6	06	2034	300	95	2000	1/2"	1303	647	1060,00	1325,00
	7	07	2034	350	95	2000	1/2"	1520	755	1237,00	1546,00
	8	08	2034	400	95	2000	1/2"	1737	862	1414,00	1767,00
	9	09	2034	450	95	2000	1/2"	1954	970	1590,00	1987,00
	10	10	2034	500	95	2000	1/2"	2171	1078	1767,00	2208,00
	11	11	2034	550	95	2000	1/2"	2388	1186	1944,00	2430,00
	12	12	2034	600	95	2000	1/2"	2605	1294	2120,00	2650,00
	13	13	2034	650	95	2000	1/2"	2822	1401	2297,00	2870,00
	14	14	2034	700	95	2000	1/2"	3039	1509	2474,00	3092,00
	15	15	2034	750	95	2000	1/2"	3257	1617	2650,00	3312,00
	16	16	2034	800	95	2000	1/2"	3474	1725	2827,00	3533,00

accessories included for Anteprima

n. 2/3 art. A260 brackets

art. A011 1/2" white or chrome plug (for coloured radiators)

n. 1 art. A041 1/2" white manual air vent valve or Art. A038 chrome (for coloured radiators)

- Grids and hole plugs are supplied in the same colour as the radiator.
- Chrome grids and hole plugs are supplied on request; free of charge for coloured radiators, at an extra charge for white radiators according to the price list.
- Tonale radiators can also be fitted with a bottom connection (50 mm pipe centres), for underfloor pipes (G-H-i-L-M configurations) at a charge of € 10,00 net each radiator.

COLOUR CARD

standard colour

cod. 10
white glossy
RAL 9010



special colours see the Colour Card




cod. 11
white sand
RAL 9016



cod. 07
metallic
matt
dark grey




cod. 12
white
matt




cod. 08
metallic
matt
silver grey




cod. 01
ivory
glossy
RAL 1013



cod. 09
metallic
matt
rust



cod. 05
metallic
matt
beige



cod. 14
black
matt



cod. 06
metallic
matt
quartz

The colours are indicative. For technical printing reasons, it is not possible to faithfully reproduce the paints used. The colour of the products supplied may differ from that shown in this catalogue.

HOW TO USE CODES FOR ORDERING

RADIATORS

OST radiator model	0900 overall height	10 colour code	.. number of sections
------------------------------	-------------------------------	--------------------------	---------------------------------

* example **OST090010..** - **OST** Oscar Tondo; **0900** overall height; **10** white colour; **..** number of sections

** When ordering radiators in special colours, please specify the Code according to the Colour Card (ref. table pg. 18)

TOWEL WARMERS

VE radiator model	0800 overall height	450 pipe centres	10 colour code
-----------------------------	-------------------------------	----------------------------	--------------------------

* example **VE080045010** - **VE** Vetta; **0800** overall height; **450** pipe centres; **10** white colour

** When ordering radiators in special colours, please specify the Code according to the Colour Card (ref. table pg. 18)

RADIATORS FOR ARCHITECTURE SEBINO

SE radiator model	0350 pipe centres	10 colour code	06 number of sections	A connection
-----------------------------	-----------------------------	--------------------------	---------------------------------	------------------------

* example **SE03501006A** - **SE** Sebino; **0350** pipe centres; **10** white colour; **06** number of sections; **A** connection

** When ordering radiators in special colours, please specify the Code according to the Colour Card (ref. table pg. 18)

The order for the Sebino model **shall always include the specification of the hydraulic connection**: see diagram below

RADIATORS FOR ARCHITECTURE TONALE

TO radiator model	0350 pipe centres	10 colour code	06 number of sections	A connection	T front sections
-----------------------------	-----------------------------	--------------------------	---------------------------------	------------------------	----------------------------

* example **TO03501006AT**:

TO Tonale; **0350** pipe centres; **10** white colour; **06** number of sections; **A** connection; **T** round front sections

** When ordering radiators in special colours, please specify the Code according to the Colour Card (ref. table pg. 18)

The order for the Tonale model **shall always include the specification of the hydraulic connection and the front section configuration**: see diagrams below




RADIATORS FOR ARCHITECTURE ANTEPRIMA

AN radiator model	0350 pipe centres	10 colour code	06 number of sections	A connection
-----------------------------	-----------------------------	--------------------------	---------------------------------	------------------------

* example **AN03501006A**: **AN** Anteprema; **0350** pipe centres; **10** white colour; **06** number of sections; **A** connection

** When ordering radiators in special colours, please specify the Code according to the Colour Card (ref. table pg. 18)

The order for the Anteprema model **shall always include the specification of the hydraulic connection**: see diagram below



G, H, i, L, M + € 10,00 net

Single-pipe valves cannot be used with RADIATORS FOR ARCHITECTURE as it is not possible to insert the probe. For single-pipe systems, Sebino, Tonale and Anteprema radiators **shall be installed with appropriate valves** (examples on the side), with 50 mm pipe centres in G-H-i configurations (diagram above)



In the configurations E-F-G-H-i-L-M the radiators are **supplied already with diverter** (art. A052 included).

universal accessories

packaging

**PRICE
EURO**















	Art. A001 galvanized straight bracket	100 pcs.	1,25 cad.
	Art. A003 galvanized screw-on angle bracket	100 pcs.	1,48 cad.
	Art. A004 white plastic angle bracket	100 pcs.	2,80 cad.
	Art. A025 170 mm with expansion plug white brackets (pair)	50 cp.	3,50 cp.
	Art. A025 170 mm with expansion plug special colours brackets (pair)	50 cp.	4,50 cp.
	Art. A026 195 mm with expansion plug for double panel radiators and Ekos 130 white brackets (pair)	50 cp.	3,90 cp.
	Art. A026 195 mm with expansion plug for double panel radiators and Ekos 130 special colours brackets (pair)	50 cp.	5,00 cp.
	Art. A027 universal brackets white - blister pack (pair)	100 cp.	10,30 cp.
	Art. A014 long universal brackets for Ekos 130 white - blister pack (pair)	100 cp.	11,50 cp.
	Art. A029 square brackets white - blister pack (pair)	20 pair	8,00
	Art. A030 wall brackets for Junior - white (pair)	1 pair	18,30
	Art. A030 wall brackets for Junior - chrome (pair)	1 pair	30,00
	Art. A031 wall brackets for Vetta - white (pair)	1 pair	8,50
	Art. A032 wall brackets for Vetta - chrome (pair)	1 pair	19,80
	WALL BRACKET		
	Art. A033 mm 800	1 pair	49,50
	Art. A034 mm 700	1 pair	44,50
	Art. A035 mm 600	1 pair	38,00
	Art. A036 mm 500	1 pair	34,00
Art. A037 mm 350	1 pair	31,50	
	Art. A015 white floor fixing system	2 pcs.	56,00 each
	Art. A005 1" blind plug or reducer white	20 pcs.	1,65 each
	Art. A006 1" blind plug or reducer galvanized	100 pcs.	1,20 each
	Art. A020 1" blind plug or reducer white, with silicone gasket	20 pcs.	1,85 each
	Art. A011 1/2" white blind plug	1 pcs.	2,00 each
	Art. A011 1/2" chrome blind plug	1 pcs.	3,50 each
	REDUCER KIT WITH SILICONE GASKETS AND VALVE WITH HANDWHEEL		
	Art. A190 3/8" for 200/D radiators - 800 mm - white	1 pcs.	11,40 each
	Art. A191 3/8" for 900 to 2000 mm radiators and Junior - white	1 pcs.	14,70 each
	Art. A192 1/2" for 200/D radiators - 800 mm - white	1 pcs.	12,00 each
	Art. A193 1/2" for 900 to 2000 mm radiators and Junior - white	1 pcs.	15,50 each

PRICE PER PAIR

universal accessories

packaging









PREICE
EURO

	REDUCER KIT WITH SILICONE GASKETS AND ADJUSTABLE VALVE		
	Art. A043 3/8" for 200/D radiators - 800 mm - white	25 pcs.	10,50 each
	Art. A043 3/8" for 200/D radiators - 800 mm - chrome	1 pcs.	30,00 each
	Art. A044 3/8" for 900 to 2000 mm radiators and Junior - white	25 pcs.	14,50 each
	Art. A044 3/8" for 900 to 2000 mm radiators and Junior - chrome	1 pcs.	32,70 each
	Art. A046 1/2" for 200/D radiators - 800 mm - white	25 pcs.	10,50 each
	Art. A046 1/2" for 200/D radiators - 800 mm - chrome	1 pcs.	30,00 each
	Art. A046 1/2" for 200/D radiators - 800 mm - special colours	1 pcs.	30,00 each
	Art. A047 1/2" for 900 to 2000 mm radiators and Junior - white	25 pcs.	14,50 each
	Art. A047 1/2" for 900 to 2000 mm radiators and Junior - chrome	1 pcs.	32,70 each
	Art. A047 1/2" for 900 to 2000 mm radiators and Junior - special colours	1 pcs.	32,70 each
	Art. A048 3/4" for 200/D radiators - 800 mm - white	25 pcs.	13,50 each
	Art. A048 3/4" for 200/D radiators - 800 mm - chrome	1 pcs.	35,00 each
	Art. A049 3/4" for 900 to 2000 mm radiators and Junior - white	25 pcs.	16,50 each
Art. A049 3/4" for 900 to 2000 mm radiators and Junior - chrome	1 pcs.	34,50 each	
	Art. A007 1" plug gasket - 1,50 mm	100 pcs.	0,32 each
	Art. A008 1" nipple gasket - 1,00 mm	100 pcs.	0,28 each
	Art. A021 silicone gasket for plugs and reducers	100 pcs.	0,48 each
	Art. A024 "O-ring" for Oscar, Oscar Tondo, Ekos Plus, Junior	10 pcs.	0,85 each
	Art. A022 diverter for Oscar, Oscar Tondo, Ekos Plus	1 pcs.	5,40 each
	Art. A023 1" nipples 30 mm for Oscar, Oscar Tondo, Ekos Plus	50 pcs.	0,83 each
	Art. A009 1" nipples	100 pcs.	0,70 each
	Art. A012 1/8" manual air vent valve	50 pcs.	4,80 each
	Art. A039 1/4" manual air vent valve	50 pcs.	4,80 each
	Art. A040 3/8" manual air vent valve	50 pcs.	5,30 each
	Art. A050 1/2" manual air vent valve	50 pcs.	5,50 each
	Art. A041 1/2" adjustable manual air vent valve - white	1 pcs.	3,10 each
	Art. A038 1/2" adjustable manual air vent valve - chrome	1 pcs.	4,20 each
	Art. A042 1/2" automatic air vent valve - chrome	1 pcs.	14,00 each
	Art. A013 1" float type air vent valve - right or left	1 pcs.	12,50 each
	Art. A019 plug wrench	5 pcs.	9,20 each
	Art. A079 hex key with lever	1 pcs.	32,50 each
	Art. A080 hex key 500 mm	1 pcs.	26,40 each
	Art. A081 hex key 800 mm	1 pcs.	30,60 each

universal accessories

packaging

PRICE
EURO

	Art. A090 3/8" Ovus angle valve - RAL 9010 white	1 pcs.	69,80 each
	Art. A091 1/2" Ovus angle valve - RAL 9010 white	1 pcs.	69,80 each
	Art. A096 3/8" Ovus angle valve - chrome	1 pcs.	73,00 each
	Art. A097 1/2" Ovus angle valve - chrome	1 pcs.	73,00 each
	Art. A102 3/8" Ovus straight valve - RAL 9010 white	1 pcs.	77,20 each
	Art. A103 1/2" Ovus straight valve - RAL 9010 white	1 pcs.	77,20 each
	Art. A108 3/8" Ovus straight valve - chrome	1 pcs.	80,30 each
	Art. A109 1/2" Ovus straight valve - chrome	1 pcs.	80,30 each
	Art. A114 3/8" Ovus angle lockshield - RAL 9010 white	1 pcs.	54,00 each
	Art. A115 1/2" Ovus angle lockshield - RAL 9010 white	1 pcs.	54,00 each
	Art. A120 3/8" Ovus angle lockshield - chrome	1 pcs.	56,80 each
	Art. A121 1/2" Ovus angle lockshield - chrome	1 pcs.	56,80 each
	Art. A126 3/8" Ovus straight lockshield - RAL 9010 white	1 pcs.	60,20 each
	Art. A127 1/2" Ovus straight lockshield - RAL 9010 white	1 pcs.	60,20 each
	Art. A132 3/8" Ovus straight lockshield - chrome	1 pcs.	62,80 each
	Art. A133 1/2" Ovus straight lockshield - chrome	1 pcs.	62,80 each
	Art. A141 Ovus connection for copper tube w/OR dia. 12 - chrome	1 pcs.	8,30 each
	Art. A142 Ovus connection for copper tube w/OR dia. 14 - chrome	1 pcs.	8,30 each
	Art. A143 Ovus connection for copper tube w/OR dia. 15 - chrome	1 pcs.	8,30 each
	Art. A144 Ovus connection for copper tube w/OR dia. 16 - chrome	1 pcs.	8,30 each
	Art. A151 Ovus connection for multilayer tube dia. 10x14 - chrome	1 pcs.	11,00 each
	Art. A152 Ovus connection for multilayer tube dia. 12x16 - chrome	1 pcs.	11,00 each
	Art. A153 Ovus connection for multilayer tube dia. 14x18 - chrome	1 pcs.	11,80 each
	Art. A154 Ovus connection for multilayer tube dia. 16x20 - chrome	1 pcs.	11,80 each
	Art. A161 thermostatic head with liquid sensor - RAL 9010 white	1 pcs.	47,30 each
	Art. A162 thermostatic head with liquid sensor - chrome	1 pcs.	62,20 each
	Art. A171 3/8 - 1/2 cover plate - dia. 12 - RAL 9010 white	1 pcs.	2,30 each
	Art. A172 3/8 - 1/2 cover plate - dia. 14 - RAL 9010 white	1 pcs.	2,30 each
	Art. A173 3/8 - 1/2 cover plate - dia. 15 - RAL 9010 white	1 pcs.	2,30 each
	Art. A174 3/8 - 1/2 cover plate - dia. 16 - RAL 9010 white	1 pcs.	2,30 each
	Art. A181 3/8 - 1/2 cover plate - dia. 12 - chrome	1 pcs.	3,90 each
	Art. A182 3/8 - 1/2 cover plate - dia. 14 - chrome	1 pcs.	3,90 each
	Art. A183 3/8 - 1/2 cover plate - dia. 15 - chrome	1 pcs.	3,90 each
	Art. A184 3/8 - 1/2 cover plate - dia. 16 - chrome	1 pcs.	3,90 each
	Art. A018 Cillit HS 23 Combi liquid	6 lt.	100,00 each
	Art. A010 RAL 9010 white spray can	12 pcs.	11,00 each.
	Art. A010 special colour spray can	1 pcs.	18,00 each.
	Art. A017 RAL 9010 white marker	6 pcs.	12,00 each

specific accessories



Art. A061 for Oscar 1000 - RAL 9010 white
 Art. A062 for Oscar 1200 - RAL 9010 white
 Art. A063 for Oscar 1400 - RAL 9010 white
 Art. A064 for Oscar 1600 - RAL 9010 white
 Art. A065 for Oscar 1800 - RAL 9010 white
 Art. A066 for Oscar 2000 - RAL 9010 white

Art. A071 for Vip 350 - RAL 9010 white
 Art. A072 for Vip 500 - RAL 9010 white
 Art. A073 for Vip 600 - RAL 9010 white
 Art. A074 for Vip 700 - RAL 9010 white
 Art. A075 for Vip 800 - RAL 9010 white

packaging

PRICE
EURO

2 pcs. 82,00 each
 2 pcs. 84,00 each
 2 pcs. 86,00 each
 2 pcs. 90,00 each
 2 pcs. 96,00 each
 2 pcs. 115,00 each

2 pcs. 52,00 each
 2 pcs. 58,00 each
 2 pcs. 70,00 each
 2 pcs. 74,00 each
 2 pcs. 78,00 each



Art. A237 white handy grip for radiators 800 - 350, Oscar, Oscar Tondo
 Art. A238 chrome handy grip for radiators 800 - 350, Oscar, Oscar Tondo
 Art. A242 white handy grip for Vetta towel warmers
 Art. A243 chrome handy grip for Vetta towel warmers
 Art. A249 white handy grip for Ekos, Ekos Plus
 Art. A250 chrome handy grip for Ekos, Ekos Plus

1 pcs. 27,80 each
 1 pcs. 33,00 each
 1 pcs. 26,40 each
 1 pcs. 33,00 each
 1 pcs. 24,40 each
 1 pcs. 26,40 each



TOWEL RAILS

Art. A201 for radiators 800 - 350, Oscar, Oscar Tondo - 48 cm white
 Art. A202 for radiators 800 - 350, Oscar, Oscar Tondo - 48 cm chrome
 Art. A207 for radiators 800 - 350, Oscar, Oscar Tondo - 32 cm white
 Art. A208 for radiators 800 - 350, Oscar, Oscar Tondo - 32 cm chrome
 Art. A225 for Ekos, Ekos Plus - 45 cm white
 Art. A226 for Ekos, Ekos Plus - 45 cm chrome
 Art. A231 for Ekos, Ekos Plus - 30 cm white
 Art. A232 for Ekos, Ekos Plus - 30 cm chrome

1 pcs. 68,80 each
 1 pcs. 77,90 each
 1 pcs. 68,50 each
 1 pcs. 74,30 each
 1 pcs. 70,20 each
 1 pcs. 73,70 each
 1 pcs. 68,70 each
 1 pcs. 74,30 each

specific accessories for radiators with underfloor pipes



Art. A331 1" right plug with rubber blind diverter

1 pcs. 18,00 each



Art. A332 1" left plug with rubber blind diverter

1 pcs. 18,00 each




Art. A337 1/2" right reducer with rubber perforated diverter

1 pcs. 18,00 each



Art. A338 1/2" left reducer with rubber perforated diverter

1 pcs. 18,00 each



Art. A343 headwork for thermostatic valve

1 pcs. 25,00 each




Art. A346 white manual knob

1 pcs. 11,00 each



Art. A349 thermostatic valve

1 pcs. 32,00 each



Art. A350 3/4" - 1/2" cone seat reducer
 Art. A351 3/4" - 1/2" flat seat reducer

1 pcs. 5,50 each
 1 pcs. 5,50 each

specific **SEBINO** model accessories

packaging

PREICE EURO




Art. A051 white bracket for Sebino
Art. A051 special colours bracket for Sebino

1 pcs. 9,70 each
1 pcs. 12,60 each




Art. A052 diverter for Sebino/Tonale/Anteprima

1 pcs. 4,20 each



Art. A053 white centre grid for Sebino
Art. A053 chrome or special colours centre grid for Sebino

1 pcs. 2,70 each
1 pcs. 10,50 each



Art. A054 white side grid for Sebino
Art. A054 chrome or special colours side grid for Sebino

1 pcs. 2,70 each
1 pcs. 10,50 each



Art. A055 white side hole plug for Sebino
Art. A055 chrome or special colours side hole plug for Sebino

1 pcs. 1,20 each
1 pcs. 4,00 each



U-SHAPED TOWEL RAILS

Art. A210 for Sebino - white 4 sections
Art. A211 for Sebino - white 6 sections
Art. A212 for Sebino - white 8 sections
Art. A213 for Sebino - white 10 sections
Art. A216 for Sebino - special colours 4 sections
Art. A217 for Sebino - special colours 6 sections
Art. A218 for Sebino - special colours 8 sections
Art. A219 for Sebino - special colours 10 sections


1 pcs. 96,00 each
1 pcs. 105,00 each
1 pcs. 111,00 each
1 pcs. 120,00 each
1 pcs. 108,00 each
1 pcs. 115,00 each
1 pcs. 122,00 each
1 pcs. 133,00 each



L-SHAPED TOWEL RAILS

Art. A228 for Sebino - white
Art. A228 for Sebino - special colours

1 pcs. 86,00 each
1 pcs. 95,00 each



CHROME TOWEL RAILS

Art. A233 for Sebino 4 sections
Art. A234 for Sebino 6 sections
Art. A235 for Sebino 8 sections

1 pcs. 172,00 each
1 pcs. 180,00 each
1 pcs. 186,00 each



HANDY HOOK GRIP

Art. A245 white
Art. A245 chrome
Art. A245 special colours

1 pcs. 50,00 each
1 pcs. 53,00 each
1 pcs. 55,00 each








CHROME ROUND HANDY GRIP






Art. A248

1 pcs. 63,00 each

specific TONALE model accessories

		packaging	PRICE EURO
	Art. A260 white bracket for Tonale/Anteprima	1 pcs.	9,70 each
	Art. A260 special colours bracket for Tonale/Anteprima	1 pcs.	12,60 each
	Art. A052 diverter for Tonale/Sebino/Anteprima	1 pcs.	4,20 each.
	Art. A262 white grid for Tonale	1 pcs.	2,70 each
	Art. A262 chrome or special colours grid for Tonale	1 pcs.	10,50 each
	L-SHAPED TOWEL RAILS		
	Art. A263 mm 300 white for Tonale (recommended up to 6 sections)	1 pcs.	160,00 each
	Art. A263 mm 300 special colours for Tonale (recommended up to 6 sections)	1 pcs.	165,00 each
	Art. A264 mm 400 white for Tonale (recommended over 8 sections)	1 pcs.	160,00 each
	Art. A264 mm 400 special colours for Tonale (recommended over 8 sections)	1 pcs.	165,00 each
	HANDY HOOK GRIP		
	Art. A265 white for Tonale/Anteprima	1 pcs.	70,00 each
	Art. A265 special colours for Tonale/Anteprima	1 pcs.	75,00 each

specific ANTEPRIMA model accessories

		packaging	PRICE EURO
	Art. A260 white bracket for Anteprima/Tonale	1 pcs.	9,70 each
	Art. A260 special colours bracket for Anteprima/Tonale	1 pcs.	12,60 each
	Art. A052 diverter for Anteprima/Sebino/Tonale	1 pcs.	4,20 each
	Art. A268 white grid for Anteprima	1 pcs.	2,70 each
	Art. A268 chrome or special colours grid for Anteprima	1 pcs.	10,50 each
	L-SHAPED TOWEL RAILS		
	Art. A266 white for Anteprima mm 300 (recommended up to 6 sections)	1 pcs.	160,00 each
	Art. A266 special colours for Anteprima mm 300 (recommended up to 6 sections)	1 pcs.	165,00 each
	Art. A267 white for Anteprima mm 400 (recommended over 8 sections)	1 pcs.	160,00 each
	Art. A267 special colours for Anteprima mm 400 (recommended over 8 sections)	1 pcs.	165,00 each
	HANDY HOOK GRIP		
	Art. A265 white for Anteprima/Tonale	1 pcs.	70,00 each
	Art. A265 Special colours for Anteprima/Tonale	1 pcs.	75,00 each

GLOBAL provides a ten-year warranty for its radiators from the date of production

The conventional warranty grants the sole right to free replacement of the radiator which, due to defects originating from defects in material or workmanship, is not fit for purpose or its ordinary intended use. Replacement radiators shall be delivered free of charge to the retailer which sold the original version to the end user or to the its installers.

The warranty is valid on the condition that the installation and the system to which the product is connected are performed by qualified/eligible personnel to top workmanship standards and in compliance with the regulations and requirements of the sector in force; it is also valid on the condition that there has been full compliance with warnings and instructions for proper installation, use and maintenance of the product indicated in the technical documentation under the paragraph entitled instructions for correct installation, use and maintenance, available and downloadable from the TECHNICAL INFO section on the globalradiatori.it website.

In order to exercise the rights arising from this conventional warranty, the presence of faults originating from defects in materials or workmanship must be reported immediately in writing within the warranty duration period by the end user to the subject (retailer or installer) from whom the product was purchased; it will in turn be forwarded to Global through the same distribution chain involved in the sale of the product which is claimed to be faulty. The claims must include photographic documentation indicating the defect, along with any information useful to explain the circumstances under which the defect was detected. Global shall take all necessary action in order to verify the existence and the nature of the claimed defects and the operational terms and conditions of this warranty. To this purpose, Global shall be guaranteed the opportunity to conduct, also appointing a representative, due inspections on the product and the environment so as to investigate the possible causes of the defect, also requesting the delivery of the product itself to the Global headquarters in Rogno (BG) if necessary. If Global establishes the existence of the defect, the end user shall be entitled to receive a new product under warranty in replacement of the faulty product. The new product shall be delivered to the end user or installer, whereby any additional transport costs to the final destination and the costs for the installation of the new product shall be borne by the client. If the product to be replaced has been "discontinued", Global shall deliver a substitute or similar product having the same functionalities as the one being replaced. Global shall also be entitled to request the return of the replaced product which will become its own property.

This conventional warranty does not confer any right or claim against Global, of any type and at any level of the distribution chain, to installers, retailers or importers.

The replacement under warranty of the faulty element shall not extend the original expiry date of the warranty, which remains unchanged, nor does it grant the right to a new warranty: the warranty for the replacement element shall remain valid for the residual term of the faulty element.

This warranty only covers the replacement of the faulty product as identified above, with explicit exclusion of any further and different obligation due to Global (such as, for instance, dismantling and installation costs, damage to the plant system to which the radiator is connected). According to this conventional warranty, under no circumstances shall Global be required to incur or refund, on either a contractual or extra-contractual liability basis, any costs or expenses, indemnity or compensation for damages of any nature whatsoever, direct, indirect, incidental or consequential damages, such as, for instance, economic loss, loss of revenue or profits, business activities or goodwill of the subject covered by the warranty or to other third parties.

Global waives all and any liability for any damage caused, directly or indirectly, to persons, animals or things, due to the non-observance of any of the standards, regulations or provisions in force in the territory of installation, and all the instructions provided in the instruction manual and, in particular, all the warnings and recommendations concerning installation, use and maintenance and/or consequent use of the product which does not comply with the diligence required by the nature of the same.

This warranty is exclusively regulated by the Italian law. Any dispute arising from or related to this conventional warranty, as well as to the existence of the conditions to which the validity and effectiveness of the warranty and its effects shall comply, shall be regulated by the Italian law with exclusive jurisdiction granted to the Court of Bergamo.

This conventional warranty refers solely to the defects and remedies identified above and, under no circumstances, can the end user submit any claims which do not fall within the scope indicated herein. This conventional warranty is not a substitute for the statutory warranty foreseen by the laws in force, but complements the same and, in any case, does not affect the statutory rights due to the consumer under the Consumer Code or those granted by applicable national and EC standards regulating the sale of consumer goods.

SYSTEM CERTIFICATION



GENERAL CONDITIONS OF SALE

PRICES: prices are subject to change; this means that prices in force at time of shipping the radiators shall stand except for orders that have already been confirmed. Material errors in printing, wording, calculations etc. shall not constitute a commitment in terms of the order.

PAYMENT: only payments made to our head office against regular receipt are considered as paid in full. All other payments remain at the Customer's risk and expense. The Company has the right to issue sight drafts with relative expenses should the customer fail to pay the invoice within ten days of the payment term indicated therein, the order constituting acceptance thereof.

Upon expiry of said payment term, interest on arrears shall be charged at the going rate in force. The issue of a draft or acceptance of bills or cheques payable to other branches simply constitutes a facility granted to the Customer and shall not be invoked as a waiver to the peremptory clause set out in art. 2. The company reserves the right to suspend or cancel supplies that are ready to be shipped or any other order that has been accepted, if payments are not made within the agreed terms. Any disputes do not entitle the customer to defer payments.

DELIVERY TERMS AND CONDITIONS, DELAYS OR IMPEDIMENTS: all terms of delivery indicated are simply indicative and not binding, as subject to unforeseeable circumstances and in general any other cause beyond the company's control, thus releasing the Company from complying with the terms of delivery indicated, whereby the Customer is not entitled to cancel the order or seek compensation for any damages.

TRANSPORT AND RISKS: all radiators are sold ex-works from our Production Plant in Rogno. Materials are always transported at the risk of the recipient, even when delivered ex-destination, on the understanding that all shipments are carried out on the customer's behalf and according to the instructions of the same; therefore, it is up to the Customer to file claims regarding delays, misunderstandings, breakages, thefts and shortages to the Railway Administrations, Shipping Companies or other Carriers upon receipt of the goods. Therefore, no claims are accepted or bank transfers granted concerning the aforementioned causes. In particular, the Company is not liable for any radiators shipped in bulk. No claims concerning radiator defects shall be accepted unless submitted according to the terms and conditions of the Italian Civil Code.

PACKAGING: cardboard boxes are used for packaging both complete loads and smaller quantities. Packaging is not returnable.

LIABILITY: our liability does not cover, under any circumstances, the consequences of the use of our products or lack of delivery of the same, and refers solely to the replacement of those items returned ex-works to our Production Plant in Rogno (Bergamo) on the condition we acknowledge them to be faulty. Our liability does in no way extend to any type of direct or indirect damage. We do not accept any radiators returned without prior agreement.

MEASUREMENTS, WEIGHTS AND MODEL: Global is not responsible for the measurements and weights of the product and all details as regards the same are simply indicative and not binding. Illustrations in catalogues and brochures aim simply to give an idea of individual articles and do not bind the company in any way to provide a faithful reproduction of the same.

CLAIMS: all invoices are deemed to be accepted if no claims are filed within eight days of receiving the radiators. Claims shall be made by registered letter within eight days of receipt of the radiators in order to be taken into consideration.

RETENTION OF TITLE: the radiators delivered remain the property of Global until all bills or cheques have been collected in full.

LEGAL DOMICILE: the Court of Bergamo is granted sole jurisdiction regarding any disputes that may arise between Global and the Customer. In any case the Customer shall not invoke binding statements or guarantees made by our employees or representatives that are not set out in these terms and conditions or other documents written or signed by our Company.

more than
50
YEARS
OF HISTORY

PRODUCTION
made in Global
ITALY

**RESEARCH &
DEVELOPMENT**
made in Global
ITALY

DESIGN
made in Global
ITALY

60.000 sqm
PRODUCTION
AREA

250
EMPLOYEES


more than
900
DISTRIBUTORS

more than
50
COUNTRIES
WORLDWIDE



GLOBAL di Fardelli Ottorino & C. s.r.l.

24060 ROGNO (BG) ITALIA • via Rondinera, 51
tel. ++39 **035977111** • fax ++39 **035977110**
globalradiatori.it • info@globalradiatori.it
amministrazione@pec.globalradiatori.it



Copyright GLOBAL ©

The images, logos and products included in this catalogue must not be reproduced in any manner or using any medium without prior permission of the parent company. Global reserves the right to change the products and data used in its catalogues at any moment in time.

C.F./P.IVA n. IT 00334360161 - n. mecc. BG 015942 - CCIAA 136287 - iscr. Trib. Bergamo n. 7438